



# Protection against the unexpected.

Differences among gun safes are difficult to see on a sales floor, but you can be confident that you won't find another brand that lives up to the high standards we set. Our safes combine quality construction, proprietary technology and patented interior designs to elevate them above the rest. In addition to exclusive features, all Browning ProSteel safes carry the UL RSC (Underwriters Laboratories Residential Security Container) rating — the industry standard that defines a home security safe. The UL RSC rating ensures that a safe meets construction specifications and has passed a series of independent laboratory test attacks. Our confidence in Browning ProSteel product leads to the best warranty in the gun safe industry — a lifetime warranty that covers attempted break in, break in, and fire. If one of our safes is involved in one of these situations and your homeowners insurance policy does not cover the damage to the safe, ProSteel will repair or replace the safe. (Safe contents are not covered.)

# Strong, rugged bolts set us apart from the competition.

To offer protection from thieves and untrained hands, a gun safe must offer robust protection. Browning ProSteel safes call on industry-standard locks, steel hardplate lock protection and precision-made diversion bar locking systems to guard against pry, punch and drill attacks. Tried and true round bolts are chrome plated for smoothness and attached to the bolt bar with a combination of heavy-duty hardware and strong, professional welds.







# **PRY-STOP CORNER BOLTS**

Pry-Stop Corner Bolts (U.S. patent #8,276,527) provide better protection than other pry defense designs. Innovative long locking bolts extend diagonally from a reinforced support at the corners of the door to protect against pry attack.



# **PRY-STOP END BOLTS**

Pry-Stop End Bolts replace the top and bottom locking bolts on the door side and secure the critical door corners. Pry-Stop End Bolts are over two and one-half times longer than a standard bolt. They attach to high-strength angle steel that prevents the locking bolt support bar from bending in a pry attack.





# Go to browning.com to build the Browning ProSteel safe you want, get a price estimate and send your order straight to your dealer.



Begin by selecting the safe that meets your needs from our wide selection. From tough, budget-friendly models to top-tier safes that maximize protection and finish options, there's a Browning ProSteel safe right for you.



Choose the finish or paint color you want. Most safes are available with either a rugged textured finish or automotive-grade painted finish.



Select the hardware that complements the safe finish and the decor of your home.



Select from dial, electronic or biometric lock models.



Add the extra shelves and interior accessories you need to maximize protection and storage potential inside your safe.



# **TABLE OF CONTENTS**

| •        | Security                         | . 2 |
|----------|----------------------------------|-----|
| <b>•</b> | Fire Protection                  | 3   |
| <b></b>  | Axis and CMS Adjustable Shelving | . 4 |
| <b></b>  | DPX Door Storage System          | . 6 |
| <b></b>  | Platinum Series                  | . 8 |
| <b></b>  | Medallion Series                 | 10  |
| <b></b>  | Silver Series                    | 12  |
| •        | Premium Customization            | 14  |
| •        | Hell's Canyon Series             | 16  |
| •        | Black Label Mark IV Series       | 18  |
| •        | Black Label Mark V Series        | 20  |
|          | Rawhide Series                   |     |
| •        | Sporter Series                   | 24  |
| <b>•</b> | Security/Vault Doors             | 26  |
| •        | Pistol Vault                     | 28  |
| <b>•</b> | Safe Accessories                 | -31 |
| <b></b>  | Safe Series Comparison Chart     | 32  |

# SECURITY

# Protection that you can rely on.

Many of the best features of Browning ProSteel safes are those you will never see. While the locking mechanisms incorporated into your safe go unnoticed day to day, foes will certainly find them virtually unassailable. Lock protection systems are designed to divert forces away from the lock. Corner protection is strategically added to these frequently attacked areas and, unlike some of our competition, we still use high-strength steel bolts to secure the door instead of shaped sections of angle iron. All this protection is housed in a sturdy body and door that feature continuous welds to eliminate weak points.



UNI-FORCE™ LOCKING SYSTEM



**OMNIBARRIER® LOCK PROTECTION SYSTEM** 



# FORCE DEFLECTOR™ LOCKING SYSTEM

The Force Deflector Locking System (U.S. patent #7,665,405) prevents bolt or handle forces from reaching the lock by using a rotating cam device. It prevents energy transfer to the lock better than most systems used in the safe industry.



# **DUO-FORMED DOOR**

The best Browning ProSteel safe door is made from multiple layers of steel formed together to provide superior strength, pry resistance and attack protection. A full second panel offers outstanding strength and rigidity. The door face is 1-11/16" thick.



# FORMED DOOR

The Formed Door is engineered with a rugged steel face. Back and reinforcement panels provide excellent strength and attack protection compared to the competition.



# REINFORCED DOOR FRAME

The door opening of the safe is strengthened by an integrated return flange to create added pry and attack resistance.



### 180° HEAVY DUTY HINGES

Rugged exterior hinges allow the door to swing open 180° for unhindered access to the safe interior. Door locking bolts maintain security if the hinges are cut off. External hinges eliminate the need to remove insulation for improved fire protection.



# **PRY-STOP CORNER BOLTS**

Pry-Stop Corner Bolts (U.S. patent #8,276,527) provide better protection than other pry-defense designs. Innovative long locking bolts extend diagonally from a reinforced support at the corners of the door to protect against pry attack at the corner areas.



# **PRY-STOP END BOLTS**

Pry-Stop End Bolts are over two and one-half times longer and attach to a high strength steel angle iron that prevents the locking bolt support bar from bending in a pry attack. The top and bottom locking bolts on the door side secure the critical door corners.



# **OMNIBARRIER® LOCK PROTECTION SYSTEM**

A carefully engineered structure of steel hard plate and steel components designed to protect the safe lock from drill, punch and push attacks.



# UNI-FORCE™ LOCKING SYSTEM

The finest Browning ProSteel safe locking mechanism uses robust cam locks and a large, multiple diversion bar system to prevent bolt or handle pressure from reaching the lock. Forces go to the cams and diversion bars, not the lock, for protection unmatched by other locking systems.







# 2 to 3 times more fire protection with ThermaBlock technology.

When it comes to fire protection and gun safes, the devil truly is in the details. Door hinge style may seem like a small detail, yet it is crucial to fire protection. An internal hinge requires fire protection material be removed where the hinges attach. In a fire, the unprotected hinge areas allow the internal temperature of a safe to rise faster, and to a significantly higher temperature, than in a Browning ProSteel safe with no unprotected areas.



COMPETITIONS'
INTERNAL HINGES

Internal hinges allow up to eight times more heat to radiate inside the safe through gaps in the fire insulation.




BROWNING PROSTEEL EXTERNAL HINGES

External hinges eliminate gaps in the fire insulation to block heat from entering the safe.



THERMABLOCK
INTERLOCKING DESIGN

Browning ProSteel safes use interlocking fire insulation to minimize gaps. Fewer gaps means that less heat enters the interior of the safe.



Competitor A safe: Rated 90 minutes at 1650° F Competitor B safe: Rated 90 minutes at 1200° F Browning ProSteel safe: Rated 100 minutes at 1680° F



Browning ProSteel safe after 100 minute fire test.



Competitor's safe after 100 minute fire test.



# **CMS Adjustable Shelving**


CMS Shelves are built upon a tough steel frame and utilize a wood platform covered in soft carpet. CMS borrows essential components from the patented Axis Adjustable Shelving (U.S. patent #D662341) to retain much of the adjustability of the higher-end system. Like Axis, CMS can be adjusted up and down, side to side, added and removed to fit a wide range of valuables.

# **Axis Adjustable Shelving**

The exclusive Axis Adjustable Shelving (U.S. patent #D662341) is a completely customizable system with an array of shelves that can be configured to meet virtually every need. The Axis shelf is made from a single piece of sturdy steel covered in a soft, protective silicone rubber that is highly durable and designed to protect guns and valuables. This design also adds a sleek appearance to the safe interior. Axis accessories, featured on the next page, are designed to easily mount to the solid steel shelf or barrel rack. (Compatible with safes that feature Axis Adjustable Shelving built in 2013 or later.)

# Patented adjustable shelving creates unmatched convenience and storage solutions.

While a gun safe appears cavernous on the sales floor, the empty space inside vanishes fast the moment you begin filling it with your valuables. Long guns, carbines, handguns, watches, laptops, savings bonds and the list goes on. Adding the accessories shown on this page allows you to explore the full potential of your Axis or CMS interior equipped safe by customizing it specifically to your needs.







**DRAWER WITH FOAM INSERT**Pick and pluck foam is easily customized to fit nearly any item.



**DRAWER W/ MONEY INSERT**Compartments are sized to organize cash, passports and other documentation.



PISTOL SHELF
Holds up to 12 handguns or long guns.
Soft surface protects guns from damage.



**PISTOL RACK**With a five handgun capacity, the Pistol Rack stores pistols under the shelf.



Made from tough steel with a protective polymer skin that protects your valuables.



**DRAWER W/ JEWELRY INSERT**Organizes valuables such as watches, rings, bracelets and necklaces.



**HIGH CAPACITY BARREL RACK**Make room for more long guns with this
High Capacity Barrel Rack.



**FILE BOX**Keep important and valuable documents in this easy to access File Box.



**SCOPED PISTOL RACK**With a deeper drop and heavy-gauge rods, handguns with optics are easier to store.



The sturdy drawer is perfect for all sorts of goods that need to be separated.



**DRAWER W/ MULTIPURPOSE INSERT**Keep jewelry and other small items organized, protected and easy to find.



**BARREL RACK**The Barrel Rack holds up to 11 guns securely in place.



**VERTICAL FILE HOLDER**This File Holder makes it easier to locate and organize important documents.




**BOW HANGER**Lock up and protect expensive archery equipment while taking up minimal space.



# **DPX PISTOL POUCHES**

Keep handguns easy to access and isolated from bumps and scratches in the sewn-on pouches on the DPX panel.



# **DPX QUICK ACCESS BARREL RACK**

Flexible polymer wings protect the barrel finish, secure the barrel in place and allow firearms to easily be pushed into or pulled from the rack. (U.S. patent #D643500)



# **DPX SCOPE SAVER**

Store more long guns with optics on the DPX door rack with the patented Scope Saver. This unique recessed panel protects scopes and increases gun capacity.

# More space and better organization with the best door storage system in the industry.

The patented DPX storage system (U.S. patent #7,409,790) is available exclusively on Browning ProSteel safes. This unequalled organizational tool allows long guns, handguns, shooting gear and valuables to be stored on the back of the safe door. The DPX Quick Access Barrel Rack puts long guns on the door for instant access and the available Scope Saver increases storage and protects optics. DPX pouches and pockets keep valuables and gear where they are easy to find and free up shelf space for even more items.

| CAPACITY  | COMPETITOR'S<br>SAFE<br>(25-28 cubic feet) | BROWNING<br>PROSTEEL SAFE<br>(26 cubic feet) | RESULT |
|---|--|--|--------|
| Gun capacity with half shelf interior           | 13   | 20   | 54%    |
|   | Guns                                       | Guns   | More   |
| Gun capacity with all gun interior              | 27   | 33   | 22%    |
|   | Guns                                       | Guns   | More   |
| Front row gun capacity with half shelf interior | 2  | 14   | 600%   |
|   | Guns                                       | Guns   | More   |
| Front row gun capacity with all gun interior    | 7  | 21   | 200%   |
|   | Guns                                       | Guns   | More   |

As you browse through this brochure you will see numbers such as 13/26+7 listed under "long gun capacity."

The first number is the long gun capacity in the safe body with a half shelf interior (13 in the example).

The second number is the long gun capacity in the safe body with an all gun interior (26 in the example).

The "plus" number is the long gun capacity on the back of the door (+7 in the example).



# How do Browning ProSteel Safes hold 54% more long guns?

# **USE THESE HELPFUL HINTS TO MAXIMIZE SPACE:**

- Set guns on the toe of the recoil pad and allow them to lean slightly forward. Resting guns on the heel of the stock and tipping them back uses up valuable space on the floor of the safe.
- Place guns without optics on the back row, against the back wall of the safe. This frees up space for scoped firearms on the outer row.
- Place long guns "heel-to-toe" to store the maximum amount of guns. On the back row, be sure the gun's heel is pressed against the back wall. On the outer row make sure the firearm is touching the toe of the gun on the back row.
- Group similarly-sized firearms together and adjust barrel racks to find the balance point of the firearms to keep them as vertical as possible.
- If the safe is not equipped with a Scope Saver on the DPX Barrel Rack, place often reached for guns without optics on the door to free up space for scoped long guns on the outer row. Firearms with large optics or optics with large adjustment turrets may not fit in the Scope Saver.



"Heel-to-toe" configuration allows door to close without interference and maximizes storage space.



# **PLATINUM SERIES**

# **CUSTOM COLLECTION**







# PP65T

- ▶ 65 long guns (39/52+13)
- ▶ 66 cubic feet
- ▶ 1,920 lbs.
- ▶ 28 total locking bolts
- ► Exterior: 72" x 59" x 27"
- ► Interior: 66" x 51" x 17"
- ▶ 12 Axis Shelves
- ► 4 Axis High Capacity Barrel Racks
- ▶ 1 Axis Pistol Shelf
- ▶ 1 Axis Pistol Rack
- ▶ 1 Axis Scoped Pistol Rack

# ▶ 49 long guns (26/39+10)

PP49T

- ▶ 52 cubic feet
- ▶ 1.620 lbs.
- ▶ 28 total locking bolts
- ► Exterior: 72" x 46" x 27"
- ► Interior: 66" x 38-1/2" x 17"
- ▶ 8 Axis Shelves
- ▶ 3 Axis High Capacity Barrel Racks
- ▶ 1 Axis Pistol Shelf
- ▶ 1 Axis Pistol Rack

# ▶ 49 long guns (26/39+10)

PP49

- ▶ 43 cubic feet
- ▶ 1,425 lbs.
- ► 24 total locking bolts
- ► Exterior: 60" x 46" x 27"
- ► Interior: 54" x 38-1/2" x 17"
- ► 5 Axis Shelves
- ▶ 3 Axis High Capacity Barrel Racks
- ▶ 1 Axis Pistol Shelf
- ▶ 1 Axis Pistol Rack









S&G® Mechanical, S&G® Top Lit Electronic, SecuRam™ Scanlogic Biometric



Matte black, gloss black, titanium metallic, charcoal metallic, hunter green metallic, sapphire blue, black cherry, two-tone crimson fade, two-tone desert smoke, two-tone steel dawn, two-tone midnight







Black chrome, silver chrome, gold



Elk, mule deer, whitetail buck/doe, pointer, mallards, mountain, Buckmark, scroll, rack, flush, flare, no graphic





















# THERMABLOCK FIRE PROTECTION

- ▶ 1.750° F for 120 minutes
- ► 2-1/2" ceiling insulation, 3-1/8" body insulation, 2-3/8" door insulation

# **APPEARANCE**

- ► Automotive-grade gloss or matte black finishes
- ► Pinstriping and choice of graphics or no graphic
- ► Five-spoke handle in your choice of black chrome, silver chrome or gold finishes
- ► Grade VI cedar interior

# STORAGE AND CONVENIENCE

- ▶ Premium full DPX Storage System with faux leather and Quick Access DPX Barrel Rack
- ► DPX Scope Saver on door
- Axis Adjustable Shelving with Multipurpose Insert, File Box and Pistol Rack
- ► Axis High Capacity Barrel Racks
- ► Elevated floor protects gun stocks
- ► Electrical Outlet
- ► Interior Light Package

- ► 3/16" (7-gauge) steel body
- ▶ 1-11/16" thick Duo-Formed® Door with full coverage 10-gauge inner plate
- ► Uni-Force<sup>™</sup> Locking System
- ► OmniBarrier® Lock Protection System
- ► Pry-Stop Corner Bolts extend diagonally from the corners of the door to protect against pry attack at the crucial corner areas
- ► 1-1/2" diameter chromed locking bolts on all four sides of door (top/sides/bottom)



























# **EXCLUSIVE FEATURES**



► Axis Adjustable Shelving



- Premium DPX Door Panel with faux leather
- ► Quick Access Barrel Rack



► Store scoped rifles on the door



Protects against pry attacks at corners



► Cedar-lined interior





# **MEDALLION SERIES**

# **CUSTOM COLLECTION**











### M65T M65 M49T M49

- ► 65 long guns (39/52+13) ► 65 long guns (39/52+13)
- ▶ 62 cubic feet
- ▶ 1,510 lbs.
- ▶ 26 total locking bolts
- Exterior: 72" x 57" x 26"
- ► Interior: 66" x 51" x 17"
- ▶ 12 Axis Shelves
- ► 4 Axis High Capacity Barrel Racks
- ▶ 1 Axis Pistol Shelf
- ▶ 1 Axis Pistol Rack

- ▶ 52 cubic feet
- ▶ 1,380 lbs.
- ▶ 26 total locking bolts
- ► Exterior: 60" x 57" x 26"
- ► Interior: 54" x 51" x 17"
- ▶ 8 Axis Shelves
- ► 4 Axis High Capacity Barrel Racks
- ▶ 1 Axis Pistol Shelf
- ▶ 1 Axis Pistol Rack
- ▶ 1 Axis Scoped Pistol Rack ▶ 1 Axis Scoped Pistol Rack

- ▶ 49 long guns (26/39+10)
- ▶ 48 cubic feet
- ▶ 1,315 lbs.
- ▶ 26 total locking bolts
- ► Exterior: 72" x 44" x 26"

- ▶ 8 Axis Shelves
- ▶ 3 Axis High Capacity Barrel Racks
- ▶ 1 Axis Pistol Shelf
- ▶ 1 Axis Pistol Rack

- ▶ 49 long guns (26/39+10)
- ▶ 40 cubic feet
- ▶ 1,105 lbs.
- ▶ 18 total locking bolts
- ► Exterior: 60" x 44" x 26"
- ► Interior: 66" x 38-1/2" x 17" ► Interior: 54" x 38-1/2" x 17" ► Interior: 54" x 26" x 17"
  - ► 5 Axis Shelves
  - ▶ 3 Axis High Capacity Barrel Racks
  - ▶ 1 Axis Pistol Shelf
  - ▶ 1 Axis Pistol Rack

▶ 33 long guns (13/26+7)

**M33** 


- ▶ 28 cubic feet
- 895 lbs.
- ▶ 18 total locking bolts
- ► Exterior: 60" x 32" x 26"
- 4 Axis Shelves
- ▶ 2 Axis High Capacity Barrel Racks
- ▶ 1 Axis Pistol Shelf
- ▶ 1 Axis Pistol Rack













Matte black, gloss black, titanium metallic, charcoal metallic, hunter green metallic, sapphire blue, black cherry, two-tone crimson fade, two-tone desert smoke, two-tone steel dawn, two-tone midnight, textured charcoal







Black chrome, silver chrome, gold



Elk, mule deer, whitetail buck/doe, pointer, mallards, mountain, Buckmark, scroll, rack, flush, flare, no graphic

























# THERMABLOCK FIRE PROTECTION

- ▶ 1,700° F for 110 minutes
- ► 2-1/2" ceiling insulation, 2-1/2" body insulation, 2-3/8" door insulation

# **APPEARANCE**

- ► Automotive-grade gloss finish in your choice of 10 colors, plus matte black or textured charcoal finishes
- ► Pinstriping and choice of graphics or no graphic
- ► Five-spoke handle in your choice of black chrome, silver chrome or gold finishes
- ► Beige fabric interior

# STORAGE AND CONVENIENCE

- ▶ Premium full DPX Storage System with Quick Access DPX Barrel Rack
- ► DPX Scope Saver on door
- ► Axis Adjustable Shelving with Pistol Rack
- ► Axis High Capacity Barrel Racks
- ► Elevated floor protects gun stocks
- ► Electrical Outlet
- ► Interior Light Package

- ▶ 10-gauge steel body
- ▶ 1-11/16" thick Duo-Formed® Door with full coverage 10-gauge inner plate
- ▶ Uni-Force™ Locking System
- ► OmniBarrier® Lock Protection System
- ► Pry-Stop Corner Bolts extend diagonally from the corners of the door to protect against pry attack at the crucial corner areas
- ► 1-1/4" diameter chromed locking bolts on all four sides of door (top/sides/bottom)





**EXCLUSIVE FEATURES** 



► Axis Adjustable Shelving



- ► Premium DPX Door Panel
- ► Quick Access Barrel Rack



► Store scoped rifles on the door



Protects against pry attacks at corners





# SILVER SERIES

# **CUSTOM COLLECTION**









# SR65T

# SR49T

# **SR49**

# **SR33**

- ▶ 65 long guns (39/52+13)
- ▶ 59 cubic feet
- ▶ 1,275 lbs.
- ► 16 total locking bolts (10 active)
- ► Exterior: 72" x 56" x 25-1/2"
- ► Interior: 66" x 51" x 17"
- ▶ 12 Axis Shelves
- ▶ 1 Axis Pistol Rack
- ▶ 1 Axis Scoped Pistol Rack

- ▶ 49 long guns (26/39+10)
- ▶ 46 cubic feet
- ▶ 1,050 lbs.
- ▶ 16 total locking bolts (10 active)
- ► Exterior: 72" x 43" x 25-1/2"
- ► Interior: 66" x 38-1/2" x 17"
- ▶ 8 Axis Shelves
- ► 4 Axis High Capacity Barrel Racks ► 3 Axis High Capacity Barrel Racks ► 3 Axis High Capacity Barrel Racks
  - ▶ 1 Axis Pistol Rack

- ► 49 long guns (26/39+10)
- ▶ 38 cubic feet
- ▶ 910 lbs.
- ▶ 16 total locking bolts (10 active)
- ► Exterior: 60" x 43" x 25-1/2"
- ► Interior: 54" x 38-1/2" x 17"
- ▶ 5 Axis Shelves
- ▶ 1 Axis Pistol Rack

- ▶ 33 long guns (13/26+7)
- ▶ 27 cubic feet
- ▶ 730 lbs.
- ▶ 16 total locking bolts (10 active)
- ► Exterior: 60" x 31" x 25-1/2"
- ► Interior: 54" x 26" x 17"
- ▶ 4 Axis Shelves
- ▶ 1 Axis Pistol Rack













Matte black, gloss black, titanium metallic, charcoal metallic, hunter green metallic, sapphire blue, black cherry, two-tone crimson fade, two-tone desert smoke, two-tone steel dawn, two-tone midnight textured charcoal







Black chrome, silver chrome, gold



Elk, mule deer, whitetail buck/doe, pointer, mallards, mountain, Buckmark, scroll, rack, flush, flare, no graphic























# THERMABLOCK FIRE PROTECTION

- ▶ 1.680° F for 100 minutes
- ▶ 2-1/2" ceiling insulation, 1-7/8" body insulation, 2-3/8" door insulation

# **APPEARANCE**

- ► Automotive-grade gloss finish in your choice of 10 colors, plus matte black or textured charcoal finishes
- ▶ Pinstriping and choice of 11 graphics or no graphic
- ► Five-spoke handle in your choice of black chrome, silver chrome or gold finishes
- ► Beige fabric interior

# STORAGE AND CONVENIENCE

- ▶ Premium full DPX Storage System with Ouick Access DPX Barrel Rack
- ► DPX Scope Saver on door
- ► Axis Adjustable Shelving with Pistol Rack
- ► Axis High Capacity Barrel Racks
- ► Elevated floor protects gun stocks
- ► Electrical Outlet
- ► Interior Light Package

- ► 11-gauge steel body
- ▶ 1-11/16" thick Duo-Formed® Door with full coverage 10-gauge inner plate
- ► Force Deflector<sup>™</sup> Locking System
- ► Hardened steel pin lock protection
- ► Pry-Stop End Bolts
- ▶ 1-1/4" diameter chromed locking bolts on all four sides of door (top/sides/bottom)



























# **EXCLUSIVE FEATURES**



► Axis Adjustable Shelving



- ► Premium DPX Door Panel
- ► Quick Access Barrel Rack



► Store scoped rifles on the door



► Adds pry resistance to door corners








# A thing of beauty.

We go the extra mile to ensure that you are proud of the finish on the safe you choose. The fully-welded steel body provides a smooth, consistent appearance. Automotive-grade paint finishes are expertly applied and baked on for added durability. Textured finishes offer a tougher appearance without sacrificing great looks. Beautiful graphic options lend a personalized flair to higher-end models. Whether in the garage, basement or den, a Browning ProSteel safe is sure to turn your head every time you walk into the room.

# **GRAPHICS**



Mallards Mountain Buckmark



# **HARDWARE**



Black Chrome



Silver Chrome





S&G® Mechanical



LOCKS

S&G® Top Lit Electronic



SecuRam™ ScanLogic Biometric

# **HELL'S CANYON SERIES**

# **CORE COLLECTION**







# HC65

- ▶ 65 long guns (39/52+13)
- ▶ 48 cubic feet
- ▶ 1,055 lbs.
- ▶ 14 total locking bolts (8 active)
- ► Exterior: 60" x 56" x 25"
- ► Interior: 54" x 51" x 17"
- ▶ 8 Axis Shelves
- ▶ 1 Axis Pistol Rack
- ▶ 1 Axis Scoped Pistol Rack

# **HC49**

- ▶ 49 long guns (26/39+10)
- ▶ 37 cubic feet
- ▶ 875 lbs.
- ► 14 total locking bolts (8 active)
- ► Exterior: 60" x 43" x 25"
- ► Interior: 54" x 38-1/2" x 17"
- ► 5 Axis Shelves
- ▶ 4 Axis High Capacity Barrel Racks ▶ 3 Axis High Capacity Barrel Racks ▶ 2 Axis High Capacity Barrel Racks
  - ▶ 1 Axis Pistol Rack

# **HC33**

- ▶ 33 long guns (13/26+7)
- ▶ 26 cubic feet
- ▶ 700 lbs.
- ▶ 14 total locking bolts (8 active)
- ► Exterior: 60" x 31" x 25"
- ► Interior: 54" x 26" x 17"
- ▶ 4 Axis Shelves
- ▶ 1 Axis Pistol Rack







Textured Charcoal



S&G® Mechanical Lock S&G® Electronic Lock





Black Chrome



Hell's Canyon Graphic

# THERMABLOCK FIRE PROTECTION

- ▶ 1,680° F for 90 minutes
- ► 1-7/8" ceiling insulation, 1-7/8" body insulation, 1-3/4" door insulation

# **APPEARANCE**

- ► Automotive-grade gloss black or rugged textured charcoal finishes
- ► Hell's Canyon graphic
- ► Three-spoke handle in black chrome finish
- ▶ Beige fabric interior

# STORAGE AND CONVENIENCE

- ► Premium full DPX Storage System with Quick Access DPX Barrel Rack
- ► DPX Scope Saver on door
- ► Axis Adjustable Shelving with Pistol Rack
- ► Axis High Capacity Barrel Racks
- ► Elevated floor protects gun stocks
- ► Electrical Outlet
- ► Interior Light Package

- ▶ 11-gauge steel body
- ▶ 1-1/4" Formed Door with inner plate
- ► Hardened steel pin lock protection
- ► Pry-Stop End Bolts
- ▶ 1-1/4" diameter chromed locking bolts on three sides of door (top/sides)























# **EXCLUSIVE FEATURES**



► Axis Adjustable Shelving



- ► Premium DPX Door Panel
- ► Quick Access Barrel Rack



► Store scoped rifles on the door



► Adds pry resistance to door corners





# **BLACK LABEL MARK IV SERIES**

# **CORE COLLECTION**







# **US49 STARS AND STRIPES**

- ▶ 49 long guns (26/39+10)
- ▶ 38 cubic feet
- ▶ 910 lbs.
- ► 16 total locking bolts (10 active)
- ► Exterior: 60" x 43" x 25-1/2"
- ► Interior: 54" x 38-1/2" x 17"
- ► 5 Axis Shelves
- ▶ 1 Axis Pistol Rack

- ▶ 38 cubic feet
- ▶ 16 total locking bolts (10 active)

**US**49

- ► Exterior: 60" x 43" x 25-1/2"
- ► Interior: 54" x 38-1/2" x 17"
- ► 5 Axis Shelves
- ▶ 3 Axis High Capacity Barrel Racks ▶ 3 Axis High Capacity Barrel Racks ▶ 2 Axis High Capacity Barrel Racks

# ► 49 long guns (26/39+10)

- ▶ 910 lbs.

- ▶ 1 Axis Pistol Rack

# ▶ 33 long guns (13/26+7)

- ▶ 27 cubic feet
- ▶ 730 lbs.
- ▶ 16 total locking bolts (10 active)

**US33** 

- ► Exterior: 60" x 31" x 25-1/2"
- ► Interior: 54" x 26" x 17"
- 4 Axis Shelves
- ▶ 1 Axis Pistol Rack



Matte Black



Coyote Tan







Electronic Lock





Tactical Handle



Shield Graphic (US33 and US49)



US49 Stars and Stripes is available only in matte black with pledge graphic and flag on interior back wall















# THERMABLOCK FIRE PROTECTION

- ▶ 1.680° F for 100 minutes
- ▶ 2-1/2" ceiling insulation, 1-7/8" body insulation, 2-3/8" door insulation

# **APPEARANCE**

- ► Matte black or coyote tan finishes
- ▶ US49 Stars and Stripes features pledge artwork on front with American flag on back wall
- ► US33 and US49 shield on front with beige interior
- ► Tactical handle in black chrome finish
- ► Beige fabric interior

# STORAGE AND CONVENIENCE

- ▶ Premium full DPX Storage System with Ouick Access DPX Barrel Rack
- ► DPX Scope Saver on door
- ► Two carbine barrel loops
- ► Axis Adjustable Shelving with Pistol Rack
- ► Axis High Capacity Barrel Racks
- ► Elevated floor protects gun stocks
- ► Electrical Outlet
- ► Interior Light Package

- ► 11-gauge steel body
- ▶ 1-11/16" thick Duo-Formed® Door with full 10-gauge inner plate
- ► Force Deflector™ Locking System
- ► Hardened steel pin lock protection
- ► Pry-Stop End Bolts
- ▶ 1-1/4" diameter chromed locking bolts on all four sides of door (top/sides/bottom)



















# **EXCLUSIVE FEATURES**



► Axis Adjustable Shelving



- ▶ Premium DPX Door Panel
- ► Quick Access Barrel Rack



► Store scoped rifles on the door



► Adds pry resistance to door corners

# EXCLUSIVE INTERIOR

► Distressed American flag back panel (Available only on the US49 Stars and Stripes)





# **BLACK LABEL MARK V SERIES**

# **CORE COLLECTION**





# **MP49**

- ▶ 49 long guns (26/39+10)
- ▶ 33 cubic feet
- ▶ 630 lbs.
- ▶ 8 total locking bolts (5 active)
- Exterior: 58" x 41" x 24"
- ► Interior: 53" x 38-1/2" x 17"
- ▶ 5 CMS Shelves
- ► 3 High Capacity Barrel Racks
- ▶ 1 Pistol Rack

# **MP33**

- ▶ 33 long guns (13/26+7)
- ▶ 23 cubic feet
- ▶ 520 lbs.
- ► Exterior: 58" x 29" x 24"
- ► Interior: 53" x 26" x 17
- ▶ 4 CMS Shelves
- ▶ 2 High Capacity Barrel Racks

- ▶ 8 total locking bolts (5 active)

- ► 1 Pistol Rack







UL® Rated Electronic Lock Single Drop Handle





Blackout Flag Graphic



















# THERMABLOCK FIRE PROTECTION

- ▶ 1,400° F for 60 minutes
- ▶ 1-1/2" ceiling insulation, 1" body insulation, 1" door insulation

# **APPEARANCE**

- ► Matte black finish
- ► Blackout American flag graphic
- ► Single drop handle in black finish
- ▶ Beige fabric interior

# STORAGE AND CONVENIENCE

- ► Full DPX Storage System with Quick Access DPX Barrel Rack
- ► CMS Adjustable Shelving
- ► Two Carbine Barrel Loops
- ► Elevated floor protects gun stocks

- ► 12-gauge steel body
- ▶ 1" Formed Door with partial inner plate
- ► Force Deflector<sup>™</sup> locking system
- ► Hardened steel pin lock protection
- ► 1" diameter chromed locking bolts on three sides of door (top/sides)















► CMS Adjustable Shelving



- ► Full DPX Door Panel
- ► Quick Access Barrel Rack



► Increases pry resistance





# **RAWHIDE SERIES**

# CORE COLLECTION







# RW49T

- ▶ 49 long guns (26/39+10)
- ► 43 cubic feet
- ▶ 930 lbs.
- ► 14 total locking bolts (8 active)
- ► Exterior: 72" x 42" x 24-1/2"
- ► Interior: 67" x 38-1/2" x 17"
- ▶ 8 CMS Shelves
- ▶ 3 High Capacity Barrel Racks

# **RW**49

- ▶ 49 long guns (26/39+10)
- ▶ 36 cubic feet
- ▶ 815 lbs.
- ▶ 14 total locking bolts (8 active)
- Exterior: 60" x 42" x 24-1/2"
- ► Interior: 55" x 38-1/2" x 17"
- ▶ 5 CMS Shelves
- ▶ 3 High Capacity Barrel Racks

# **RW33**

- ▶ 33 long guns (13/26+7)
- ▶ 25 cubic feet
- ▶ 645 lbs.
- ▶ 14 total locking bolts (8 active)
- ► Exterior: 60" x 30" x 24-1/2"
- ► Interior: 55" x 26" x 17"
- ▶ 4 CMS Shelves
- ▶ 2 High Capacity Barrel Racks



Gloss Black



Textured Saddle Brown





S&G® Mechanical Lock UL Rated Electronic Lock



Three-Spoke Handle in Antique Bronze Finish



Dimensional Cast Emblem

# THERMABLOCK FIRE PROTECTION

- ▶ 1,550° F for 80 minutes
- ▶ 2" ceiling insulation, 1-1/2" body insulation, 1-1/2" door insulation

# **APPEARANCE**

- ► Automotive-grade gloss black or textured saddle brown finishes
- ▶ Dimensional cast emblem
- ► Three-spoke handle in antique bronze finish
- ► Faux leather interior

# STORAGE AND CONVENIENCE

- ► Full DPX Storage System with Ouick Access DPX Barrel Rack
- CMS Adjustable Shelving with Pistol Rack
- ► High Capacity Barrel Racks
- ► Elevated floor protects gun stocks

- ▶ 11-gauge steel body
- ▶ 1" Formed Door with partial inner plate
- ► Force Deflector<sup>™</sup> locking system
- ► Hardened steel pin lock protection
- ► Pry-Stop End Bolts
- ▶ 1" diameter chromed locking bolts on three sides of door (top/sides)





















► CMS Adjustable Shelving



- ► Premium DPX Door Panel
- ► Quick Access Barrel Rack




► Adds pry resistance to door corners



EXCLUSIVE INTERIOR

► Faux leather





# **SPORTER SERIES**

# CORE COLLECTION







# SP49T

# **HG49 HAWG**

# **SP33**

- ▶ 49 long guns (26/39+10)
- ▶ 41 cubic feet
- ▶ 790 lbs.
- ▶ 8 total locking bolts (5 active)
- ► Exterior: 72" x 41" x 24"
- ► Interior: 67" x 38-1/2" x 17"
- ▶ 8 CMS Shelves
- ▶ 3 High Capacity Barrel Racks
- ▶ 1 Pistol Rack

- ► 49 long guns (26/39+10)
- ▶ 33 cubic feet
- ▶ 630 lbs.
- ▶ 8 total locking bolts (5 active)
- ► Exterior: 58" x 41" x 24"
- ► Interior: 53" x 38-1/2" x 17"
- ▶ 5 CMS Shelves
- ▶ 3 High Capacity Barrel Racks
- ▶ 1 Pistol Rack

- ▶ 33 long guns (13/26+7)
- ▶ 23 cubic feet
- ▶ 520 lbs.
- ▶ 8 total locking bolts (5 active)
- ► Exterior: 58" x 29" x 24"
- ► Interior: 53" x 26" x 17"
- ▶ 4 CMS Shelves
- ▶ 2 High Capacity Barrel Racks
- ▶ 1 Pistol Rack





SP20



SP9

# **SP23**

# ▶ 23 long guns (8/16+7)

- ▶ 20 cubic feet
- ▶ 495 lbs.
- ▶ 8 total locking bolts (5 active)
- ► Exterior: 58" x 29-1/2" x 20"
- ► Interior: 53" x 27" x 13"
- ► Standard Shelves
- 2 barrel racks

- ▶ 20 long guns (10/20)
- ▶ 15 cubic feet
- ▶ 410 lbs.
- ▶ 8 total locking bolts (5 active)
- ► Exterior: 58" x 24" x 19"
- ► Interior: 53" x 21-1/2" x 12"
- ► Standard Shelves
- 2 barrel racks

- ▶ 9 cubic feet
- ▶ 270 lbs.
- ► 6 total locking bolts (3 active)
- ► Exterior: 30" x 24" x 20"
- ► Interior: 27" x 21" x 13"
- ► Standard Shelves
- ► Single handle drop



Hammer Gloss Gray (Gloss black available only on SP33)



S&G® Mechanical Lock



UL® Rated Electronic Lock



Black Chrome Handle



Scroll Graphic



HAWG Logo

# THERMABLOCK FIRE PROTECTION

- ▶ 1,400° F for 60 minutes
- ► 1-1/2" ceiling insulation, 1" body insulation 1" door insulation

### **APPEARANCE**

- ► Hammer gloss gray or automotive-grade gloss black finishes (SP33 only)
- ► Scroll graphic or HAWG logo on HG49
- ► Three-spoke handle in black chrome finish
- ► Beige fabric interior

# STORAGE AND CONVENIENCE

- ▶ DPX Storage System on top half of door with Quick Access DPX Barrel Rack (SP20 and SP9 do not include DPX Barrel Rack on door)
- ► CMS Adjustable Shelving (SP23, SP20 and SP9 have standard shelving and are not Axis or CMS compatible)
- ► High Capacity Barrel Racks
- ► Elevated floor protects gun stocks

- ► 12-gauge steel body
- ▶ 1" Formed Door with partial inner plate
- ► Force Deflector<sup>™</sup> locking system
- ► Hardened steel pin lock protection
- ▶ 1" diameter chromed locking bolts on three sides of door (top/sides)

















► CMS Adjustable Shelving



- ► Half DPX Door Panel
- ► Quick Access Barrel Rack



► Adds pry resistance to door corners





# **VAULT DOORS**



# **SECURITY DOOR**

- ▶ 500 lbs.
- ▶ 20 total locking bolts (10 active)
- ► Exterior: 83" x 38-1/8"
- ▶ 2" of insulation




# STANDARD SPECIFICATIONS

The minimum rough door opening for the Security Door is 83" x 36"

Available in primer finish only

Not compatible with mechanical locks

# **SECURITY DOOR DIMENSIONS - TOP VIEW**















# STANDARD OUT-SWING

▶ 645 lbs.

MADE IN THE USA

- ▶ 22 total locking bolts
- ► Exterior: 84" x 38-1/8"

# ▶ 800 lbs.

- ▶ 24 total locking bolts
- ► Exterior: 83-3/8" x 42-3/4"

# ▶ 800 lbs.

- ▶ 24 total locking bolts
- ► Exterior: 83-3/8" x 42-3/4"

# STANDARD SPECIFICATIONS

The minimum rough door opening for the Standard Vault Door is 83" x 36"

External L-frame with 1/2" diameter steel ]-bolt anchors (included) can be poured in place in new construction or installed in an existing door frame by using expansion anchors or lag bolts (not included)

# **CLAMSHELL SPECIFICATIONS**

**CLAMSHELL OUT-SWING** 


The minimum rough door opening for the Clamshell Vault Door is 82" x 40"

Clamshell flange design includes an internal and external flange for additional security and improved appearance

Can be secured into an existing door frame using the clamshell flange or, for additional security, using expansion anchors or lag bolts (not included)

Clamshell flange has a 3-1/2" range of adjustment to fit walls with a minimum thickness of 8" to a maximum thickness of 11-1/2"

# **STANDARD DOOR DIMENSIONS - TOP VIEW**










# **CLAMSHELL DOOR DIMENSIONS - TOP VIEW**



# **FEATURES**

- ► 7-gauge steel door frame
- ▶ Designed to fit a variety of wall types and installation requirements
- ► OmniBarrier® Lock Protection System
- ► Uni-Force<sup>™</sup> Locking System
- ▶ 1-7/8" of fire-resistant insulation in the door
- ► Knurled five-spoke Buckmark handle
- ► External ball bearing hinges
- ► Palusol® expanding fire seal
- ▶ Also available with a black primer finish that is ready to paint and match any decor
- ▶ Internal lock release to open the door from within the vault







Black chrome, silver chrome, gold







S&G® Mechanical, S&G® Top Lit Electronic, SecuRam™ ScanLogic Biometric



Elk, mule deer, whitetail buck/doe, pointer, mallards, mountain, Buckmark, scroll, rack, flush, flare, no graphic.



Matte black, gloss black, titanium metallic, charcoal metallic, hunter green metallic, sapphire blue, black cherry, two-tone midnight, two-tone crimson fade, two-tone desert smoke, two-tone steel dawn, textured charcoal.





Internal Lock Release





# **USER-INSTALLED ACCESSORIES**

# **Maximum Potential.**


Maximize the potential of your safe with our extensive line of safe accessories. These accessories are designed to help you store more gear and guns, better organize safe interior space, add lighting to make items easier to locate and ensure that your possessions are protected from humidity.

# TAKE FULL ADVANTAGE OF THE DPX STORAGE SYSTEM WITH THESE ACCESSORIES:



# **HANDGUN POUCH**

Store more guns without taking up shelf space with DPX Handgun Pouches (sold in sets of two)



# **BARREL LOOP**

Barrel Loops allow shorter firearms to be secured on the DPX Door Panel



# STOCK RISER

Store shorter firearms on the DPX Door Panel and keep them easily accessible

# DOOR ORGANIZERS

Browning safe door organizers increase gun capacity, free up shelf space and improve organization in the safe by utilizing the inside surface of the door

Frequently used guns and valuables can be stored on the door for fast access

Accommodates a wide range of long guns

Document pouch keeps important papers within easy reach

MOLLE System straps allow for versatile storage options for handguns and is compatible with any MOLLE pouch, holster or strap



# SMALL

- ► Size: 14" W x 48" H
- ► Two handgun pouches
- ► One document pouch
- ➤ Two long gun (up to 47" long) storage pouches and barrel straps





# **MEDIUM**

- ► Size: 20" W x 48" H
- ► Three handgun pouches
- ► One large document pouch
- ► Three long gun (up to 47" long) storage pouches and barrel straps
- ► One multipurpose pouch

# LARGE

- ► Size: 27" W x 48" H
- ► Four handgun pouches
- ► Two document pouches
- ► Four long gun (up to 47" long) storage pouches and barrel straps
- ► Two multipurpose pouches

# **USER-INSTALLED ACCESSORIES**



# **LED SAFE LIGHTING KIT**

- Browning ProSteel factory-style LED Safe Lighting Kit is easily installed in the door frame
- ► Motion sensor activates the lights when the door opens and automatically shuts off after the door closes
- ► Includes eight LED light tubes, mounting clips, AC adaptor and motion sensor



# ► This battery-powered LED Light adds 75 lumens of bright light to the safe interior

► Motion sensor activated

**LED LIGHT** 

- ► Attaches with hook and loop fasteners
- ► Requires 3 AA batteries (not included)



# **BOLT DOWN HARDWARE KIT**

- ► Includes four lag screws for anchoring to wood floors and four concrete bolts and concrete anchors for securing to concrete
- ► Wood and concrete drill bits are also included



# PISTOL RACKS 4-GUN/6-GUN

- ► Store handguns more efficiently
- ► Increases storage space on shelves
- ► Access to handguns is made easier by placing them in an upright position





# **S&G\* ELECTRONIC LOCK RETROFIT KIT**

- ► The S&G Electronic Lock is an advanced security system manufactured by the leader in the lock industry
- ► Includes many technical security features
- ► Kit includes lock and installation DVD
- Available in silver chrome (shown),
   black chrome and gold
- ► Installation by a professional locksmith is recommended



# SECURAM™ BIOMETRIC LOCK RETROFIT KIT

- ► The SecuRam ScanLogic Biometric Lock uses the uniqueness of an individual fingerprint as the combination in this advanced security solution
- ► The lock opens with either a fingerprint or a multi-digit code
- ► Highly secure with quick operation
- ► Simple programming instructions
- ► LCD Screen
- Available in silver chrome (shown), black chrome and gold
- ▶ Installation by a professional locksmith is recommended





# **DRY-ZONE MOISTURE REDUCER**

- Absorbs moisture without electricity and is rechargeable in an oven
- ► One 500-gram box protects up to 37 cubic feet of enclosed space, about the volume of a standard 30" wide safe
- ► Can be reactivated indefinitely



# **EVERDRY™ ELECTRIC DEHUMIDIFIER**

- ► The EverDry Electric Dehumidifier removes humidity from the interior of a safe and protects against rust
- ► The 18" long EverDry should be used on safes 30" wide and larger
- ► Cord is removable for installation

# **ZERUST VCI PROTECTANT**

- ► Small capsule emits an invisible vapor that forms a corrosion- and rust-resistant barrier on metal surfaces
- Vapor Corrosion Inhibitors (VCI) have been used for years to protect metal parts in industrial and commercial applications
- ▶ One capsule protects a standard 30" wide safe (approximately 26 cu. ft.) for one year

# FLEXIBLE EVERDRY™ DEHUMIDIFIER

- ▶ Flat and bendable
- ► Takes up less space and makes installation easy, especially in small safes
- ► Removes humidity from the interior of a safe and protects against rust
- ▶ Plug is removable for installation
- ▶ LED indicates unit is operating







- Vapor Corrosion Inhibitor (VCI) penetrates into the smallest crevices and drives out moisture where oils cannot reach
- ► Provides full protection by forming a vapor enclosure around the firearm from muzzle to butt
- ▶ Drawstring closure
- ► Gives additional protection to all metal items in an enclosed area such as a gun safe or cabinet
- ► Fits rifles and shotguns 48" to 56"



# **VCI GUN SOCK (TWO-PIECE)**

- ► Vapor Corrosion Inhibitor (VCI) forms a protective vapor enclosure around the entire firearm
- ► Adds protection to all metal items in an enclosed gun safe or cabinet
- ▶ Drawstring closure
- ► Two-piece design fits most takedown rifles and shotguns

# **PLATINUM SERIES**

See page 8 for details

| MINUTES        | TEMP.°F        | STEEL<br>THICKNESS | DPX DOOR | SCOPE SAVER | SHELVING | MADE IN USA |
|----------------|----------------|--------------------|----------|-------------|----------|-------------|
| 120<br>110     | 1750°          |                    |          |             |          |             |
| 100            | 1700°          | 7 GA.              |          |             | ++++     |             |
| 90             | 1680°          | 10 GA.             | FULL     | YES         | AXIS     | YES         |
| 80<br>70<br>60 | 1550°<br>1400° | 11 GA.<br>12 GA.   | HALE     | NO          | CMS      | NO          |





NOT AVAILABLE IN 65 X-WIDE







# **MEDALLION SERIES**

See page 10 for details

















**SILVER SERIES** 

See page 12 for details







**NOT AVAILABLE** IN 65 WIDE











**SR65T TALL X-WIDE** 

See page 16 for details

STEEL THICKNESS MINUTES 1750° 110 1700° 7 GA. 100 10 GA. 1680° FULL AXIS 90 1550° 11 GA. HALF NO CMS NO 80 1400 12 GA. 70

**HELL'S CANYON SERIES** 









NOT AVAILABLE **IN 49 TALL WIDE** 









HC65 X-WIDE

# **BLACK LABEL MARK IV SERIES**

See page 18 for details

| MINUTES                       | TEMP. °F                                  | STEEL<br>THICKNESS                  | DPX DOOR     | SCOPE SAVER | SHELVING    | MADE IN USA |
|-------------------------------|---|-------------------------------------|--------------|-------------|-------------|-------------|
| 120<br>110<br>100<br>90<br>80 | 1750°<br>1700°<br>1680°<br>1550°<br>1400° | 7 GA.<br>10 GA.<br>11 GA.<br>12 GA. | FULL<br>HALF | YES         | AXIS<br>CMS | YES<br>NO   |
| 70<br>60                      |   |                                     |              |             |             |             |





NOT AVAILABLE NOT AVAILABLE







**US49 WIDE US33 STANDARD** 

# **BLACK LABEL MARK V SERIES**

See page 20 for details

| MINUTES                 | TEMP.°F                 | STEEL<br>THICKNESS | DPX DOOR | SCOPE SAVER | SHELVING | MADE IN USA |
|-------------------------|-------------------------|--------------------|----------|-------------|----------|-------------|
| 120<br>110<br>100<br>90 | 1750°<br>1700°<br>1680° | 7 GA.<br>10 GA.    | FULL     | YES         | AXIS     | YES         |
| 80<br>70<br>60          | 1550°<br>1400°          | 11 GA.<br>12 GA.   | HALF     | NO          | CMS      | NO          |



NOT AVAILABLE IN 65 TALL X-WIDE

IN 49 TALL WIDE









**MP49 WIDE** 

**MP33 STANDARD** 

# **RAWHIDE SERIES**

See page 22 for details


| MINUTES                     | TEMP. °F                | STEEL<br>THICKNESS | DPX DOOR | SCOPE SAVER | SHELVING | MADE IN USA |
|-----------------------------|-------------------------|--------------------|----------|-------------|----------|-------------|
| 120<br>110<br>100           | 1750°<br>1700°<br>1680° | 7 GA.<br>10 GA.    | FULL     | YES         | AXIS     | YES         |
| 90<br><b>80</b><br>70<br>60 | 1550°<br>1400°          | 11 GA.<br>12 GA.   | HALE     | NO<br>NO    | CMS      | NO          |





NOT AVAILABLE IN 65 TALL X-WIDE NOT AVAILABLE











**SPORTER SERIES** 

See page 24 for details

| MINUTES                       | TEMP. ºF                         | STEEL<br>THICKNESS        | DPX DOOR     | SCOPE SAVER | SHELVING    | MADE IN USA |
|-------------------------------|----------------------------------|---------------------------|--------------|-------------|-------------|-------------|
| 120<br>110<br>100<br>90<br>80 | 1750°<br>1700°<br>1680°<br>1550° | 7 GA.<br>10 GA.<br>11 GA. | FULL<br>HALF | YES         | AXIS<br>CMS | YES         |
| 70<br>60                      | 1400°                            | 12 GA.                    |              |             |             |             |





**SP49T TALL WIDE** 





**SP33 STANDARD** 







SP23 CLOSET SP20 STANDARD



Browning · One Browning Place · Morgan, UT 84050-9326 Distributed in Canada by: Browning Canada Sports Ltd/Ltée 5583 Chemin St-François · St-Laurent, Quebec H4S 1W6

BROWNING.COM \* 800-333-3288

CG190835/19056