

B R O W N I N G P R O S T E E L S A F E S • 2 0 2 2



NEW FOR 2022

Introducing the Armored U.S.



The new Armored U.S. Series – Available in putty gray and satin black.



BROWNING[®]

PROSTEEL SAFES

The Best There Is

WARRANTY PROTECTION.

Should disaster strike, have confidence in the knowledge that your investment in a Browning ProSteel safe is protected by the best warranty in the gun safe industry – a lifetime warranty that covers attempted break in, actual break in, and fire. All Browning ProSteel safes carry the UL RSC (Underwriters Laboratories Residential Security Container) rating – the industry standard that defines a home security safe. The UL RSC rating ensures that a safe meets construction specifications and has passed a series of independent laboratory test attacks. If one of our safes is involved in one of these situations and your homeowner's insurance policy does not cover the damage to the safe, ProSteel will repair or replace the safe. (Safe contents are not covered.) No other safe brand lives up to the uncompromising standards set by Browning and the combination of precision construction, proprietary security technology and patented interior features that elevate them above the rest.

TABLE OF CONTENTS

Optimized Security	2
Fire Protection	3
Adjustable Shelving	4
Storage Maximized	6
Platinum Series	8
Medallion Series	10
Silver Series.....	12
Armored U.S Series.....	14
1878 Series	16
Hell's Canyon Series.....	18
Rawhide Series	20
MP Blackout Series.....	22
Sporter Series	24
Vault Doors / Security Door.....	26
Pistol Vault.....	28
Safe Accessories.....	29
Safe Series Comparison Chart.....	32

TRUSTWORTHY SECURITY.

Many features that make a Browning ProSteel safe "The Best There Is" are those you will never notice; but those who attempt to gain unauthorized entry into your safe will find them extremely challenging. Rugged lock protection components are designed to divert pounding and drilling forces away from the lock. Door corner protection is strategically added to these frequently attacked areas and unlike some of our competition, we still use high-strength, round steel bolts to secure the door instead of shaped sections of iron. All of this security is protected in a sturdy body and door that feature continuous welds that eliminate weakness.



Pry-Stop End Bolts



Pry-Stop Corner Bolts



OmniBarrier® Lock Protection System



Uni-Force™ Locking System



PRY-STOP END BOLTS

Pry-Stop End Bolts secure the critical door corners. More than two and one-half times longer than regular bolts, they attach to a high-strength steel angle that prevents the locking bolt support bar from bending in a pry attack.



PRY-STOP CORNER BOLTS

Pry-Stop Corner Bolts (U.S. patent #8,276,527) provide better protection than other pry-defense designs. Innovative long locking bolts extend diagonally from a reinforced support at the corners of the door to protect against pry attack at these areas.



REINFORCED DOOR FRAME

The door opening of the safe is strengthened by an integrated return flange for added pry and attack resistance.



180° HEAVY DUTY HINGES

Exterior hinges allow the door to swing open 180° for unhindered access to the safe interior. Locking bolts maintain security if the hinges are cut off. External hinges eliminate the need to remove insulation resulting in improved fire protection.



FORMED DOOR

The Formed Door is engineered with a rugged steel face. Back and reinforcement panels provide excellent strength and attack protection compared to the competition.



DUO-FORMED® DOOR

The best Browning ProSteel safe door is made from multiple layers of steel formed together to provide superior strength, pry resistance and attack protection. A full second panel offers outstanding strength and rigidity.



OMNIBARRIER® LOCK PROTECTION SYSTEM

A carefully engineered structure of steel hard plate and steel components designed to protect the safe lock from drill, punch and push attacks.



FORCE DEFLECTOR™ LOCKING SYSTEM

The Force Deflector Locking System (U.S. patent #7,665,405) is a rotating cam device that prevents prying or pounding forces to the bolts or handle from reaching the lock. It is superior to most locking systems used in the safe industry.




UNI-FORCE™ LOCKING SYSTEM

The finest Browning ProSteel safe locking mechanism uses robust cam locks and a large, multiple diversion bar system to prevent bolt or handle pressure from reaching the lock. Forces go to the cams and diversion bars, not the lock, for protection unmatched by other locking systems.

THERMABLOCK TECHNOLOGY: 2-3 TIMES THE FIRE PROTECTION.

Attention to detail makes the difference in fire protection. Door hinges, for example, are crucial. An internal hinge design requires fire protection material be removed where the hinges attach. In a fire, the unprotected hinge areas allow the internal temperature of a safe to rise faster — and to a significantly higher temperature — than a Browning ProSteel safe with external hinges and nothing left unprotected.




COMPETITION'S INTERNAL HINGES

Internal hinges allow up to eight times more heat to radiate inside the safe through gaps in the fire insulation.



BROWNING PROSTEEL EXTERNAL HINGES

External hinges eliminate gaps in the fire insulation, blocking heat from entering the safe.




THERMABLOCK INTERLOCKING DESIGN

Browning ProSteel safes use interlocking fire insulation to minimize gaps. Fewer gaps means that less heat enters the interior of the safe.

BROWNING PROSTEEL SAFES
100 MINUTES
 TO REACH INTERNAL TEMPERATURE OF 350° F

COMPETITOR B**
50 MINUTES
 TO REACH INTERNAL TEMPERATURE OF 350° F

COMPETITOR A*
33 MINUTES
 TO REACH INTERNAL TEMPERATURE OF 350° F



Competitor A safe: Rated 90 minutes at 1650° F Competitor B safe: Rated 90 minutes at 1200° F Browning ProSteel safe: Rated 100 minutes at 1680° F

PATENTED STORAGE SOLUTIONS OFFER VIRTUALLY UNLIMITED OPTIONS.

An empty gun safe appears cavernous but that free space disappears quickly once you begin filling it with long guns, carbines, handguns, watches, laptops, savings bonds and other valuables. Browning offers the most adjustable interior configurations in the gun safe market and, by adding the accessories shown on page 5, allows you to explore the full potential of your Axis or CMS interior equipped safe by customizing it to satisfy your requirements.



AXIS ADJUSTABLE SHELVING

The exclusive Axis Adjustable Shelving (U.S. patent #D662341) is a completely customizable system with an array of shelves that can be configured to meet virtually every need. The Axis shelf is made from a single piece of sturdy steel covered in a soft, protective silicone rubber that is highly durable and designed to protect guns and valuables. Axis accessories, featured on the next page, are designed to easily mount to the solid steel shelf or barrel rack.



CMS ADJUSTABLE SHELVING

CMS Shelves are built upon a tough steel frame and utilize a wood platform covered in carpet. CMS borrows essential components from the patented Axis Adjustable Shelving (U.S. patent #D662341) to retain much of the adjustment of the higher-end system.

Like Axis, CMS can be adjusted up and down, side to side, added and removed, to fit more of your most prized valuables.



Adding the accessories shown on this page allows you to explore the full potential of your Axis or CMS interior equipped safe by customizing it specifically to your needs. All Axis accessories shown are compatible with Axis interiors built in 2013 and newer, and CMS interiors built in 2018 and newer and are greater than 20 cubic feet in size.



STEEL SHELF

The basic shelf is made from tough steel with a protective polymer skin.



PISTOL SHELF

Holds up to 12 handguns. The soft surface protects against damage.



PISTOL RACK

Holds five handguns and leaves the shelf available for other gear.



SCOPED PISTOL RACK

A deeper drop and heavy-gauge rods for storing handguns with optics.



BOW HANGER

Lock up and protect archery equipment while taking up minimal space.



HIGH CAPACITY BARREL RACK

Store more long guns in the same space with this double-row rack.



BARREL RACK

11 slots accommodate rifles, shotguns, carbines and modern sporting rifles.



FILE BOX

Important documents are kept safe and easy to find in this handy File Box.



VERTICAL FILE HOLDER

Easily organize important documents with this File Holder.



DRAWER

Keep all sorts of goods separated and safe with the Axis Drawer.



DRAWER WITH JEWELRY INSERT

Protect and organize valuables such as watches, rings and necklaces.



DRAWER WITH FOAM INSERT

Pick and pluck foam isolates prized possessions inside the drawer.



DRAWER WITH MULTIPURPOSE INSERT

Keep delicate items organized, protected and easy to find.



DRAWER WITH MONEY/PASSPORT INSERT

Compartments are sized to organize cash, passports and other documents.



DEEP DRAWER

The Deep Drawer is perfect for storing a variety of items under a shelf.

STORAGE MAXIMIZED

ADD USABLE SPACE AND IMPROVE ORGANIZATION WITH THE EXCLUSIVE, PATENTED DPX DOOR PANEL.

As a gun safe fills up, utilizing every inch of space becomes more and more important. Browning has the safe market cornered in this respect, offering the most adjustable interiors imaginable. Never satisfied, we turned our attention to the door and developed the patented DPX Door Storage System. This exclusive feature adds valuables, handgun and long gun capacity to your safe while increasing the number of long guns that are within easy reach.



DPX DOOR STORAGE SYSTEM

The patented DPX storage system (U.S. patent #7,409,790) is available exclusively on Browning ProSteel safes. This unequalled organizational tool allows long guns, handguns, shooting gear and valuables to be stored on the back of the safe door. The DPX Quick Access Barrel Rack puts long guns on the door for instant access and the available Scope Saver increases storage and protects optics. DPX pouches and pockets keep valuables and gear where they are easy to find and free up shelf space for even more items.

DPX PISTOL POUCHES

Keep handguns easy to access and isolated from bumps and scratches in the sewn-on DPX pistol pouches.

DPX QUICK ACCESS BARREL RACK

Flexible polymer wings protect barrel finishes and allow firearms to easily be pushed into or pulled from the rack. (U.S. patent #D643500)

DPX SCOPE SAVER

Store more long guns with optics on the DPX door rack with the patented Scope Saver. This unique recessed panel protects scopes and increases gun capacity.

Inside this brochure, listed under "long gun capacity" you will see combinations of numbers such as 13/26+7. The first number is the long gun capacity in the safe body with a half shelf interior (13 in the example). The second number is the long gun capacity in the safe body with an all gun interior (26 in the example). The "plus" number is the long gun capacity on the back of the door (+7 in the example).

CAPACITY COMPARISON	COMPETITOR'S SAFE (25-28 cubic feet)	BROWNING PROSTEEL SAFE (26 cubic feet)	RESULT
Gun capacity with half shelf interior	13 Guns	20 Guns	54% More
Gun capacity with all gun interior	27 Guns	33 Guns	22% More
Front row gun capacity with half shelf interior	2 Guns	14 Guns	600% More
Front row gun capacity with all gun interior	7 Guns	21 Guns	200% More



HOW DO BROWNING PROSTEEL SAFES STORE UP TO 54% MORE GUNS?

Use these helpful hints to maximize space:

- 1** Set guns on the toe of the recoil pad and allow them to lean slightly forward. Resting guns on the heel of the stock and tipping them back uses up valuable space on the floor of the safe.
- 2** Place guns without optics on the back row, against the back wall of the safe. This frees up space for scoped firearms on the outer row.
- 3** Place long guns “heel-to-toe” to store the maximum amount of guns. On the back row, be sure the gun’s heel is pressed against the back wall. On the outer row make sure the firearm is touching the toe of the gun on the back row.
- 4** Group similarly-sized firearms together and adjust barrel racks to find the balance point of the firearms to keep them as vertical as possible.
- 5** If the safe is not equipped with a Scope Saver on the DPX Door Panel, place often used guns without optics on the door to free up space for scoped long guns on the outer row. Firearms with large optics or optics with large adjustment turrets may not fit in the Scope Saver.



“Heel-to-toe” configuration allows door to close without interference and maximizes storage space.



Platinum Series



From features to finish, premium level Platinum gun safes are simply The Best There Is. Heavy 3/16" (7-gauge) steel is used to construct the body and door for added rigidity and pry-resistance. ThermaBlock fire protection withstands heat and flames for two hours. Inside, your valuables are surrounded by a distinguished Grade VI cedar interior.

Platinum safes are made in the USA.



PLATINUM 65T

Exterior: 59" W, 72" H, 27" D
 Interior: 51" W, 66" H, 17" D
 66 cubic feet
 65 long guns (39/52+13)
 1,920 lbs.
 12 total Axis Shelves
 4 High Capacity Barrel Racks
 1 Scoped Pistol Rack
 1 Axis Pistol Shelf
 1 Pistol Rack
 28 locking bolts (all active)
 Electrical outlet
 LED Light Package
 Elevated Floor



PLATINUM 49T

Exterior: 46" W, 72" H, 27" D
 Interior: 38-1/2" W, 66" H, 17" D
 52 cubic feet
 49 long guns (26/39+10)
 1,620 lbs.
 8 total Axis Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 1 Pistol Shelf
 28 locking bolts (all active)
 Electrical outlet
 LED Light Package
 Elevated Floor



PLATINUM 49

Exterior: 46" W, 60" H, 27" D
 Interior: 38-1/2" W, 54" H, 17" D
 43 cubic feet
 49 long guns (26/39+10)
 1,425 lbs.
 5 total Axis Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 1 Pistol Shelf
 24 locking bolts (all active)
 Electrical outlet
 LED Light Package
 Elevated Floor



ThermaBlock
Fire Protection



Axis Adjustable
Shelving



DPX Door
Storage System



DPX
Scope Saver



4-Way
Bolts



Pry-Stop
Corner Bolts



1-1/2"
Chrome Bolts



OmniBarrier®
System



UL
Listed



7-Gauge
Steel Body



180°
Door Hinges



UniForce™
System



Reinforced
Door Frame



Duo-Formed®
Door



Electrical
Outlet



LED Light
Package



Platinum 65T shown in titanium metallic with exclusive Grade VI cedar interior

PLATINUM SPECIFICATIONS



DOOR STORAGE SYSTEM

- Premium full DPX Door Panel
- DPX Scope Saver
- Quick Access Barrel Rack
- Pistol Pouches



FIRE PROTECTION

- 1750° F for 120 minutes
- 2-1/2" ceiling insulation
- 3-1/8" body insulation
- 2-3/8" door insulation



AXIS SHELVING


- Patented adjustable shelving
- Polymer-lined to protect firearms



UL-RATED SECURITY


- Heavy duty 3/16" (7-gauge) steel body
- 1-11/16" thick Duo-Formed® Door with full coverage 10-gauge inner plate
- Uni-Force™ Locking System
- OmniBarrier® Locking System
- Pry-Stop Corner Bolts
- 1-1/2" chrome-lined bolts (top/sides/bottom)

COLOR OPTIONS




- Matte Black
- Gloss Black
- Titanium Metallic
- Charcoal Metallic
- Hunter Green Metallic
- Sapphire Blue
- Black Cherry
- Two-Tone Crimson Fade
- Two-Tone Desert Smoke
- Two-Tone Steel Dawn
- Two-Tone Midnight

GRAPHIC OPTIONS




- Elk
- Mule Deer
- Whitetail Buck/Doe
- Pointer
- Mallards
- Mountain
- Buckmark
- Scroll
- Rack
- Flush
- Flare
- Pledge
- No Graphic

HARDWARE



- Black Chrome
- Silver Chrome
- Gold

LOCKS



- SG® Mechanical
- SG® Top Lit Electronic
- SecuRam™ ScanLogic Biometric



Made in the USA

Medallion Series



Medallion safes were developed to optimize the relationship between strength and luxury. These class-leading gun safes feature heavy-duty locking features and thick 10-gauge steel for superior resistance to break-in. ThermaBlock fire protection outshines the so-called competition.

Medallion safes are made in the USA.



MEDALLION 65T

Exterior: 57" W, 72" H, 26" D
 Interior: 51" W, 66" H, 17" D
 62 cubic feet
 65 long guns (39/52+13)
 1,585 lbs.

12 total Axis Shelves
 4 High Capacity Barrel Racks
 1 Scoped Pistol Rack
 1 Pistol Rack
 1 Pistol Shelf
 26 locking bolts (all active)
 Electrical outlet
 LED Light Package
 Elevated Floor



MEDALLION 65

Exterior: 57" W, 60" H, 26" D
 Interior: 51" W, 54" H, 17" D
 52 cubic feet
 65 long guns (39/52+13)
 1,375 lbs.

8 total Axis Shelves
 4 High Capacity Barrel Racks
 1 Scoped Pistol Rack
 1 Pistol Rack
 1 Pistol Shelf
 26 locking bolts (all active)
 Electrical outlet
 LED Light Package
 Elevated Floor



MEDALLION 49T

Exterior: 44" W, 72" H, 26" D
 Interior: 38-1/2" W, 66" H, 17" D
 48 cubic feet
 49 long guns (26/39+10)
 1,315 lbs.

8 total Axis Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 1 Pistol Shelf
 26 locking bolts (all active)
 Electrical outlet
 LED Light Package
 Elevated Floor



MEDALLION 49

Exterior: 44" W, 60" H, 26" D
 Interior: 38-1/2" W, 54" H, 17" D
 40 cubic feet
 49 long guns (26/39+10)
 1,105 lbs.

5 total Axis Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 1 Pistol Shelf
 18 locking bolts (all active)
 Electrical outlet
 LED Light Package
 Elevated Floor



MEDALLION 33

Exterior: 32" W, 60" H, 26" D
 Interior: 26" W, 54" H, 17" D
 28 cubic feet
 33 long guns (13/26+7)
 895 lbs.

4 total Axis Shelves
 2 High Capacity Barrel Racks
 1 Pistol Rack
 1 Pistol Shelf
 18 locking bolts (all active)
 Electrical outlet
 LED Light Package
 Elevated Floor



ThermaBlock
Fire Protection



Axis Adjustable
Shelving



DPX Door
Storage System



DPX
Scope Saver



4-Way
Bolts



Pry-Stop
Corner Bolts



1-1/4"
Chrome Bolts



OmniBarrier®
System



UL
Listed



10-Gauge
Steel Body



180°
Door Hinges



UniForce™
System



Reinforced
Door Frame



Duo-Formed®
Door



Electrical
Outlet



LED Light
Package



Medallion 49T shown in titanium metallic

MEDALLION SPECIFICATIONS



DOOR STORAGE SYSTEM

- Premium Full DPX Door Panel
- Scope Saver
- Quick Access Barrel Rack
- Pistol Pouches



FIRE PROTECTION

- 1700° F for 110 minutes
- 2-1/2" ceiling insulation
- 2-1/2" body insulation
- 2-3/8" door insulation



AXIS SHELVING


- Patented adjustable shelving
- Silicone-lined to protect firearms



UL-RATED SECURITY

- 10-gauge steel body
- 1-11/16" thick Duo-Formed® Door with full coverage 10-gauge inner plate
- Uni-Force™ Locking System
- OmniBarrier® Locking System
- Pry-Stop Corner Bolts
- 1-1/4" chrome-lined bolts (top/sides/bottom)

COLOR OPTIONS



Matte Black

Gloss Black

Titanium Metallic

Charcoal Metallic

Hunter Green Metallic

Sapphire Blue

Black Cherry


Two-Tone Crimson Fade

Two-Tone Desert Smoke

Two-Tone Steel Dawn

Two-Tone Midnight

GRAPHIC OPTIONS



Elk

Mule Deer

Whitetail Buck/Doe

Pointer

Mallards

Mountain

Buckmark

Scroll

Rack


Flush

Flare

Pledge

No Graphic

HARDWARE



Black Chrome

Silver Chrome

Gold

LOCKS



SG® Mechanical

SG® Top Lit Electronic

SecuRam™ ScanLogic Biometric




Made in the USA

Silver Series



Top-selling Silver gun safes include exclusive interior storage and convenience features at an attractive price. The tough 11-gauge steel body adds weight and strength for protection against break in, plus it resists flex from heat and contributes to the admirable 100 minute fire protection rating.

Silver safes are made in the USA.



SILVER 65T

Exterior: 56" W, 72" H, 25-1/2" D
 Interior: 51" W, 66" H, 17" D
 59 cubic feet
 65 long guns (39/52+13)
 1,275 lbs.


12 total Axis Shelves
 4 High Capacity Barrel Racks
 1 Scoped Pistol Rack
 1 Pistol Rack

16 locking bolts (10 active)

Electrical outlet

LED Light Package

Elevated Floor



SILVER 49T

Exterior: 43" W, 72" H, 25-1/2" D
 Interior: 38-1/2" W, 66" H, 17" D
 46 cubic feet
 49 long guns (26/39+10)
 1,050 lbs.

8 total Axis Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack

16 locking bolts (10 active)

Electrical outlet

LED Light Package

Elevated Floor



SILVER 49

Exterior: 43" W, 60" H, 25-1/2" D
 Interior: 38-1/2" W, 54" H, 17" D
 38 cubic feet
 49 long guns (26/39+10)
 910 lbs.


5 total Axis Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack

16 locking bolts (10 active)

Electrical outlet

LED Light Package

Elevated Floor



SILVER 33

Exterior: 31" W, 60" H, 25-1/2" D
 Interior: 26" W, 54" H, 17" D
 27 cubic feet
 33 long guns (13/26+7)
 730 lbs.

4 total Axis Shelves
 2 High Capacity Barrel Racks
 1 Pistol Rack

16 locking bolts (10 active)

Electrical outlet

LED Light Package

Elevated Floor



ThermaBlock
Fire Protection



Axis Adjustable
Shelving



DPX Door
Storage System



DPX
Scope Saver



4-Way
Bolts



Pry-Stop
End Bolts



1-1/4"
Chrome Bolts



UL
Listed



11 GA
Steel Body



180°
Door Hinges



Force
Deflector



Reinforced
Door Frame



Duo-Formed®
Door



Electrical
Outlet



LED Light
Package



Silver 49T shown in charcoal metallic

SILVER SPECIFICATIONS



DOOR STORAGE SYSTEM

- Premium Full DPX Door Panel
- Scope Saver
- Quick Access Barrel Rack
- Pistol Pouches



FIRE PROTECTION

- 1680° F for 100 minutes
- 2-1/2" ceiling insulation
- 1-7/8" body insulation
- 2-3/8" door insulation



AXIS SHELVING


- Patented adjustable shelving
- Silicone-lined to protect firearms



UL-RATED SECURITY

- 11-gauge steel body
- 1-11/16" thick Duo-Formed® Door with full coverage 10-gauge inner plate
- Force Deflector™ Locking System
- Hardened steel pin lock protection
- Pry-Stop Corner Bolts
- 1-1/4" chrome-lined bolts (top/sides/bottom)

COLOR OPTIONS



Matte Black

Gloss Black

Titanium Metallic

Charcoal Metallic

Hunter Green Metallic

Sapphire Blue

Black Cherry


Two-Tone Crimson Fade

Two-Tone Desert Smoke

Two-Tone Steel Dawn

Two-Tone Midnight

GRAPHIC OPTIONS



Elk

Mule Deer

Whitetail Buck/Doe

Pointer

Mallards

Mountain

Buckmark

Scroll

Rack

Flush


Flare



Pledge

No Graphic

HARDWARE



Black Chrome

Silver Chrome

Gold

LOCKS



SG® Mechanical

SG® Top Lit Electronic

SecuRam™ ScanLogic Biometric



Made in the USA

Armored U.S. Series



The new Armored U.S. safes are as tough as they look. Two striking exterior options are available: The reinforced Armored U.S. and the patriotic-themed Stars & Stripes. In addition to this safe's impressive protection against threats, the Axis interior can be configured to maximize storage of long guns, handguns, carbines and modern sporting rifles. The top-mounted gear loft provides a dedicated location to keep frequently used accessories.

Armored U.S. safes are made in the USA.

NEW	NEW	NEW COLOR	NEW
			
ARMORED U.S. 49	ARMORED U.S. 33	STARS & STRIPES 49	STARS & STRIPES 33
Exterior: 43" W, 60" H, 25-1/2" D Interior: 38-1/2" W, 54" H, 17" D 38 cubic feet 49 long guns (26/39+10) 910 lbs.	Exterior: 31" W, 60" H, 25-1/2" D Interior: 26" W, 54" H, 17" D 27 cubic feet 33 long guns (13/26+7) 730 lbs.	Exterior: 43" W, 60" H, 25-1/2" D Interior: 38-1/2" W, 54" H, 17" D 38 cubic feet 49 long guns (26/39+10) 910 lbs.	Exterior: 31" W, 60" H, 25-1/2" D Interior: 26" W, 54" H, 17" D 27 cubic feet 33 long guns (13/26+7) 730 lbs.
5 total Axis Shelves 3 High Capacity Barrel Racks 1 Pistol Rack 16 locking bolts (10 active) Electrical outlet LED Light Package Elevated Floor	4 total Axis Shelves 2 High Capacity Barrel Racks 1 Pistol Rack 16 locking bolts (10 active) Electrical outlet LED Light Package Elevated Floor	5 total Axis Shelves 3 High Capacity Barrel Racks 1 Pistol Rack 16 locking bolts (10 active) Electrical outlet LED Light Package Elevated Floor	4 total Axis Shelves 2 High Capacity Barrel Racks 1 Pistol Rack 16 locking bolts (10 active) Electrical outlet LED Light Package Elevated Floor



ThermaBlock
Fire Protection



Axis Adjustable
Shelving



DPX Door
Storage System



DPX
Scope Saver



4-Way
Bolts



Pry-Stop
End Bolts



1-1/4"
Chrome Bolts



UL
Listed



11-Gauge
Steel Body



180°
Door Hinges



Force
Deflector



Reinforced
Door Frame



Duo-Formed®
Door



Electrical
Outlet



LED Light
Package

ARMORED U.S. AND STARS & STRIPES SPECIFICATIONS



DOOR STORAGE SYSTEM

- Premium Full DPX Door Panel
- DPX Scope Saver
- Quick Access Barrel Rack
- Pistol Pouches
- Two Carbine Barrel Loops



Armored U.S. 49 Stars and Stripes shown in satin black

ARMORED U.S. FEATURES



AXIS SHELVING


- Patented adjustable shelving
- Silicone-lined to protect firearms




FIRE PROTECTION

- 1680° F for 100 minutes
- Insulation: 2-1/2" ceiling, 1-7/8" body, 2-3/8" door

COLOR



Satin Black



Putty Gray

LOCK




SG® Top Lit Electronic



SG® Top Lit Electronic

HARDWARE



Cast Iron



Black

GRAPHIC




Armored Top and bottom plates




Armored Top and bottom plates

INTERIOR




U.S. Flag back wall




U.S. Flag back wall

STARS AND STRIPES FEATURES

COLOR




Satin Black



Putty Gray

LOCK



SG® Top Lit Electronic



SG® Top Lit Electronic

HARDWARE




Black Chrome




Black

GRAPHIC




Pledge with Flag




Pledge with Flag

INTERIOR



U.S. Flag back wall



U.S. Flag back wall

UL-RATED SECURITY

- 11-gauge steel body
- 1-11/16" thick Duo-Formed® Door with full coverage 10-gauge inner plate
- Force Deflector™ Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts
- 1-1/4" chrome-lined bolts (top/sides/bottom)

1878 Series



Featuring bold, powerful styling, 1878 Series safes are loaded with the latest security and storage features. Variations in the steel used to construct the 1878 give each safe a unique look, appearance and character all its own.

1878 safes are made in the USA.



1878-65T

Exterior:
56" W, 72" H, 25" D
Interior:
51-1/4" W, 66" H, 17-1/4" D
58 cubic feet
65 long guns (39/52+13)
1,325 lbs.

12 total Axis Shelves
4 High Capacity Barrel Racks
1 Pistol Rack

14 locking bolts (8 active)

Electrical outlet
LED Light Package
Elevated Floor



1878-65

Exterior:
56" W, 60" H, 25" D
Interior:
51-1/4" W, 54" H, 17-1/4" D
49 cubic feet
65 long guns (39/52+13)
1,105 lbs.

8 total Axis Shelves
4 High Capacity Barrel Racks
1 Pistol Rack

14 locking bolts (8 active)

Electrical outlet
LED Light Package
Elevated Floor



1878-49T

Exterior:
43" W, 72" H, 25" D
Interior:
38-1/2" W, 66" H, 17-1/4" D
45 cubic feet
49 long guns (26/39+10)
1,070 lbs.

8 total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack

14 locking bolts (8 active)

Electrical outlet
LED Light Package
Elevated Floor




1878-49

Exterior:
43" W, 60" H, 25" D
Interior:
38-1/2" W, 54" H, 17-1/4" D
38 cubic feet
49 long guns (26/39+10)
890 lbs.

5 total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack

14 locking bolts (8 active)

Electrical outlet
LED Light Package
Elevated Floor



1878-33

Exterior:
31" W, 60" H, 25" D
Interior:
26" W, 54" H, 17-1/4" D
27 cubic feet
33 long guns (13/26+7)
715 lbs.

4 total Axis Shelves
2 High Capacity Barrel Racks
1 Pistol Rack

14 locking bolts (8 active)

Electrical outlet
LED Light Package
Elevated Floor



1878-13

Exterior:
26" W, 42" H, 21" D
Interior:
21" W, 35-3/4" H, 14-1/2" D
13 cubic feet
465 lbs.

4 total CMS Shelves
1 Pistol Rack

7 locking bolts (4 active)

Electrical outlet
LED Light Package
Elevated Floor

DPX Scope Saver and Quick Access Barrel Rack are not available on the 1878-13



ThermaBlock Fire Protection



Axis Adjustable Shelving



DPX Door Storage System



DPX Scope Saver



3-Way Bolts



Pry-Stop End Bolts



1-1/4" Chrome Bolts



UL Listed



11-Gauge Steel Body



180° Door Hinges



Force Deflector



Reinforced Door Frame



Formed Door



Electrical Outlet



LED Light Package

1878 SPECIFICATIONS



DOOR STORAGE SYSTEM

- Premium Full DPX Door Panel
- DPX Scope Saver
- Quick Access Barrel Rack
- Pistol Pouches



AXIS SHELVING

- Patented adjustable shelving
- Silicone-lined to protect firearms



FIRE PROTECTION

- 1680° F for 90 minutes
- 1-7/8" ceiling insulation
- 1-7/8" body insulation
- 1-3/4" door insulation



UL-RATED SECURITY


- 11-gauge steel body
- 1-1/4" Formed Door with Inner Plate
- Pry-Stop End Bolts
- 1-1/4" chrome-lined bolts (top and sides)
- Force Deflector™ locking system
- Hardened steel pin lock protection



1878-65T

Ruggedly Beautiful

COLOR



Metal Glaze

LOCK OPTIONS




SG® Mechanical



SG® Top Lit Electronic

HARDWARE



Cast Iron Wheel

GRAPHIC



1878 Laser Cut Steel



Made in the USA

Hell's Canyon Series



Hell's Canyon safes are just as tough as the name implies. Keeping your valuables shielded against the threats of fire and unwanted access are features like an 11-gauge steel body and Pry-Stop End Bolts. A fully-equipped interior provides maximum storage and organization potential.

Hell's Canyon safes are made in the USA.




HC65

Exterior: 56" W, 60" H, 25" D
 Interior: 51" W, 54" H, 17" D
 49 cubic feet
 65 long guns (39/52+13)
 1,055 lbs.
 8 total Axis Shelves
 4 High Capacity Barrel Racks
 1 Scoped Pistol Rack
 1 Pistol Rack
 14 locking bolts (8 active)
 Electrical outlet
 Elevated Floor



HC49

Exterior: 43" W, 60" H, 25" D
 Interior: 38-1/2" W, 54" H, 17" D
 38 cubic feet
 49 long guns (26/39+10)
 875 lbs.
 5 total Axis Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 14 locking bolts (8 active)
 Electrical outlet
 Elevated Floor



HC33

Exterior: 31" W, 60" H, 25" D
 Interior: 26" W, 54" H, 17" D
 27 cubic feet
 33 long guns (13/26+7)
 700 lbs.
 4 total Axis Shelves
 2 High Capacity Barrel Racks
 1 Pistol Rack
 14 locking bolts (8 active)
 Electrical outlet
 Elevated Floor



ThermaBlock
Fire Protection



Axis Adjustable
Shelving



DPX Door
Storage System



DPX
Scope Saver



3-Way
Bolts



Pry-Stop
End Bolts



1-1/4"
Chrome Bolts



UL
Listed



11 GA
Steel Body



180°
Door Hinges



Force
Deflector



Reinforced
Door Frame



Formed
Door



Electrical
Outlet

HELL'S CANYON SPECIFICATIONS



DOOR STORAGE SYSTEM

- Premium Full DPX Door Panel
- DPX Scope Saver
- Quick Access Barrel Rack
- Pistol Pouches



AXIS SHELVING

- Patented adjustable shelving
- Silicone-lined to protect firearms



FIRE PROTECTION

- 1680° F for 90 minutes
- 1-7/8" ceiling insulation
- 1-7/8" body insulation
- 1-3/4" door insulation



UL-RATED SECURITY

- 11-gauge steel body
- 1-1/4" Formed Door with Inner Plate
- Pry-Stop End Bolts
- 1-1/4" chrome-lined bolts (top and sides)
- Force Deflector™ locking system
- Hardened steel pin lock protection



Hell's Canyon 65 shown in gloss black




Hell's Canyon 65 shown in textured charcoal

As Tough as the Name

COLOR OPTIONS



Gloss Black




Textured Charcoal

LOCK OPTIONS




SG® Mechanical



SG® Top Lit Electronic

HARDWARE



3-Spoke Black Chrome

GRAPHIC



Hell's Canyon

Rawhide Series

Keep all of your prized valuables securely penned-up inside a Rawhide safe. The rugged 11-gauge steel body and Pry-Stop End Bolts improve resistance against break in. A ThermaBlock fire protection rating of 1550° F/80 min. is among the best in its class. The tough appearance of the exterior is offset with a supple faux leather-trimmed interior that adds undeniable class. Variations in the steel used to construct the new raw metal Rawhide gives each safe a unique look, appearance and character all of its own. A full DPX door panel adds storage and eases access to more of your frequently-used long guns. Variations in the steel used to construct the new Raw Metal finish models give each safe a unique look, appearance and character all its own.


**NEW
COLOR**



RAWHIDE 49T

Exterior: 42" W, 72" H, 24-1/2" D
 Interior: 38-1/2" W, 67" H, 17" D
 43 cubic feet
 49 long guns (26/39+10)
 930 lbs.
 8 total CMS Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 14 locking bolts (8 active)
 Elevated Floor

**NEW
COLOR**



RAWHIDE 49

Exterior: 42" W, 60" H, 24-1/2" D
 Interior: 38-1/2" W, 55" H, 17" D
 36 cubic feet
 49 long guns (26/39+10)
 815 lbs.
 5 total CMS Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 14 locking bolts (8 active)
 Elevated Floor



RAWHIDE 33

Exterior: 30" W, 60" H, 24-1/2" D
 Interior: 26" W, 55" H, 17" D
 25 cubic feet
 33 long guns (13/26+7)
 645 lbs.
 4 total CMS Shelves
 2 High Capacity Barrel Racks
 1 Pistol Rack
 14 locking bolts (8 active)
 Elevated Floor



ThermaBlock
Fire Protection



CMS
Shelving



DPX Door
Storage System



3-Way
Bolts



Pry-Stop
End Bolts



1"
Chrome Bolts



UL
Listed



11-Gauge
Steel Body



180°
Door Hinges



Force
Deflector



Reinforced
Door Frame



Formed
Door

RAWHIDE SPECIFICATIONS



DOOR STORAGE SYSTEM

- Full DPX Door Panel
- Quick Access Barrel Rack
- Pistol Pouches



CMS SHELVING

- Adjustable shelving
- Carpet-lined to protect firearms



FIRE PROTECTION

- 1550° F for 80 minutes
- Insulation: 2" ceiling, 1-1/2" body, 1-1/2" door



UL-RATED SECURITY

- 11-gauge steel body
- 1" Formed Door with partial inner plate
- Force Deflector™ Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts
- 1" chrome-lined bolts (top/sides)




Rawhide 33 shown in textured saddle brown

Lock-em' Down

COLOR OPTIONS



Textured Saddle Brown




Raw Metal

LOCK OPTIONS




SG® Mechanical



SG® Electronic

HARDWARE



3-Spoke Antique Bronze

GRAPHIC



Cast Metal Emblem

MP Blackout Series

An MP Blackout safe is rugged, secure and offers a fire protection rating of 1400° F/60 minutes for added piece of mind against the unimaginable. The exclusive Blackout graphic lends a patriotic flair to the understated tactical black finish. The CMS Adjustable Interior and DPX Door Panel provide versatile storage for guns and valuables.



MP49

Exterior: 41" W, 58" H, 24" D
 Interior: 38-1/2" W, 53" H, 17" D
 33 cubic feet
 49 long guns (26/39+10)
 630 lbs.
 5 total CMS Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 8 locking bolts (5 active)
 Elevated Floor



MP33

Exterior: 29" W, 58" H, 24" D
 Interior: 26" W, 53" H, 17" D
 23 cubic feet
 33 long guns (13/26+7)
 520 lbs.
 4 total CMS Shelves
 2 High Capacity Barrel Racks
 1 Pistol Rack
 8 locking bolts (5 active)
 Elevated Floor



ThermaBlock
Fire Protection



CMS
Shelving



DPX Door
Storage System



3-Way
Bolts



Pry-Stop
End Bolts



1"
Chrome Bolts



UL
Listed



12-Gauge
Steel Body



180°
Door Hinges



Force
Deflector



Reinforced
Door Frame



Formed
Door

MP BLACKOUT SPECIFICATIONS



DOOR STORAGE SYSTEM

- Full DPX Door Panel
- Quick Access Barrel Rack
- Pistol Pouches
- Two Carbine Barrel Loops



CMS SHELVING

- Adjustable shelving
- Carpet-lined to protect firearms



FIRE PROTECTION

- 1400° F for 60 minutes
- Insulation: 1-1/2" ceiling,
1" body, 1" door



UL-RATED SECURITY

- 12-gauge steel body
- 1" Formed Door with partial inner plate
- Force Deflector™ Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts
- 1" chrome-lined bolts
(top/sides)



MP49


Understated Protection

COLOR




Matte Black

LOCK




UL® Rated Electronic

HARDWARE



Single Drop Black

GRAPHIC



Blackout Flag

Sporter Series

Sporter safes combine reliable security features, impressive fire protection, interior versatility and high-level build quality into a surprisingly affordable package. A durable 12-gauge steel body increases strength and outperforms similarly-priced safes with only the California DOJ rating. ThermaBlock offers 60 minutes of fire protection at 1400° F. A patented DPX Door Panel and CMS Adjustable Shelving add class-leading storage to this impressive lineup of safes.



SPORTER 49T

Exterior: 41" W, 72" H, 24" D
 Interior: 38-1/2" W, 67" H, 17" D
 41 cubic feet
 49 long guns (26/39+10)
 790 lbs.
 8 total CMS Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 8 locking bolts (5 active)
 Elevated Floor




HAWG 49

Exterior: 41" W, 58" H, 24" D
 Interior: 38-1/2" W, 53" H, 17" D
 33 cubic feet
 49 long guns (26/39+10)
 630 lbs.
 5 total CMS Shelves
 3 High Capacity Barrel Racks
 1 Pistol Rack
 8 locking bolts (5 active)
 Elevated Floor



SPORTER 33

Exterior: 29" W, 58" H, 24" D
 Interior: 26" W, 53" H, 17" D
 23 cubic feet
 33 long guns (13/26+7)
 520 lbs.
 4 total CMS Shelves
 2 High Capacity Barrel Racks
 1 Pistol Rack
 8 locking bolts (5 active)
 Elevated Floor



SPORTER 23

Exterior: 29-1/2" W, 58" H, 20" D
 Interior: 27" W, 53" H, 13" D
 20 cubic feet
 23 long guns (8/16+7)
 495 lbs.
 Standard Shelves
 2 Barrel Racks
 8 locking bolts (5 active)
 Elevated Floor



SPORTER 20

Exterior: 24" W, 58" H, 19" D
 Interior: 21-1/2" W, 53" H, 12" D
 15 cubic feet
 20 long guns (10/20)
 410 lbs.
 Standard Shelves
 2 Barrel Racks
 8 locking bolts (5 active)
 Elevated Floor



SPORTER 9

Exterior: 24" W, 30" H, 20" D
 Interior: 21" W, 27" H, 13" D
 9 cubic feet
 270 lbs.
 Standard Shelves
 6 locking bolts (3 active)
 Elevated Floor
 Single Spoke Handle



ThermaBlock
Fire Protection



CMS Shelving
(SP49T, HG49,
SP33 only)



DPX Door
Storage System



3-Way
Bolts



Pry-Stop
End Bolts



1"
Chrome Bolts



UL
Listed



12-Gauge
Steel Body



180°
Door Hinges



Force
Deflector



Reinforced
Door Frame



Formed
Door

SPORTER SPECIFICATIONS



DOOR STORAGE SYSTEM

- Full DPX Door Panel
- Quick Access Barrel Rack
(Not included on SP20 and SP9)
- Pistol Pouches



CMS SHELVING

- Adjustable shelving
- Carpet-lined to protect firearms
(SP23, SP20 and SP9 have standard shelving that is not compatible with Axis or CMS.)



FIRE PROTECTION

- 1400° F for 60 minutes
- Insulation: 1-1/2" ceiling,
1" body, 1" door



UL-RATED SECURITY


- 12-gauge steel body
- 1" Formed Door with partial inner plate
- Force Deflector™ Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts
- 1" chrome-lined bolts
(top/sides)



Sporter 33 shown in putty gray

Great Features, Better Value

COLOR OPTIONS




Hammer Gloss Gray Putty Gray
Putty Gray is available on HG49, SP33, SP23 and SP20 with UL® Rated Electronic Lock only.

LOCK OPTIONS



SG® Mechanical UL® Rated Electronic

HARDWARE



3-Spoke Matte Black

GRAPHICS



Sporter HAWG (HG49 only)

Vault Doors



STANDARD OUT-SWING DOOR

38-1/8" W x 84" H

The minimum rough door opening is 36" W x 83"H

1-7/8" fire insulation on door


Palusol® expanding fire seal

645 lbs.

22 locking bolts

Available in primer finish or choice of colors

External L-frame with 1/2" diameter steel J-bolt anchors (included) can be poured in place in new construction or installed in an existing door frame by using expansion anchors or lag bolts (not included)



Standard Door Dimensions - Top View



CLAMSHELL OUT-SWING DOOR

42-3/4" W x 83" H

800 lbs.

24 locking bolts

1-7/8" fire insulation on door

Palusol® expanding fire seal


The minimum rough door opening for the Clamshell Vault Door is 40" x 82"

Clamshell flange has a 3-1/2" range of adjustment to fit walls with a minimum thickness of 8" to a maximum thickness of 11-1/2"

Clamshell flange design includes an internal and external flange for additional security and improved appearance

Can be secured into an existing door frame using the clamshell flange or, for additional security, using expansion anchors or lag bolts (not included)

External L-frame with 1/2" diameter steel J-bolt anchors (included) can be poured in place in new construction or installed in an existing door frame by using expansion anchors or lag bolts (not included)



Clamshell Door Dimensions - Top View



CLAMSHELL IN-SWING DOOR

42-3/4" W x 83" H

800 lbs.

24 locking bolts

1-7/8" fire insulation on door

Palusol® expanding fire seal



1878 VAULT DOOR PACKAGE (Available as out-swing or in-swing door)

42-3/4" W x 83" H

800 lbs.

24 locking bolts

1-7/8" fire insulation on door

Palusol® expanding fire seal



Duo Formed
Door



1-1/4"
Chrome Bolts



OmniBarrier
Locking System




UniForce
Locking System

VAULT DOOR SPECIFICATIONS


OmniBarrier® Lock Protection System
 Uni-Force™ Locking System
 Internal lock release to open the door from within the vault
 Designed to fit a variety of wall types and installation requirements

Knurled five-spoke Buckmark handle
 Available with a black primer finish that is ready to paint and match any decor
 External ball bearing hinges

COLOR OPTIONS



GRAPHIC OPTIONS



HARDWARE


LOCKS

EXCLUSIVE TO 1878



SECURITY DOOR

- 38-1/8" W x 84" H
- The minimum rough door opening is 36" W x 83"H
- 2" of insulation
- 500 lbs.
- 20 locking bolts (10 active)
- Available in primer finish only
- Not compatible with mechanical locks



Portable Pistol Vault

The Browning ProSteel PV Portable is ideal for securing small valuables that are used daily such as a watch, rings, wallet or concealed carry firearm.



PV PORTABLE

Exterior: 10" W, 2-1/4" H, 8-1/4" D

Body thickness: 16-gauge


Hammer gloss gray finish

6 lbs.

Flexible pistol grippers help secure and protect contents

Secure tubular key lock

Cable included for added protection against theft



Hammer Gloss Gray



A C C E S S O R I E S

Maximize the potential of your safe with our extensive line of safe accessories. These accessories are designed to help you store more gear and guns, better organize safe interior space, add lighting to make items easier to locate and ensure that your possessions are protected from humidity.



BARREL LOOP

Barrel Loops allow shorter firearms to be secured on the DPX Door Panel.



HANDGUN POUCH

Store more guns without taking up shelf space with DPX Handgun Pouches (sold in sets of two).



STOCK RISER

Store shorter firearms on the DPX Door Panel and keep them easily accessible.



Medium



Large

D O O R O R G A N I Z E R S

Browning safe door organizers increase gun capacity, free up shelf space and improve organization in the safe by utilizing the inside surface of the door. Frequently used guns and valuables can be stored on the door for fast access.

Door organizers accommodate a wide range of long guns and the document pouch keeps important papers within easy reach.

The MOLLE System straps allow for versatile storage options for handguns and is compatible with any MOLLE pouch, holster or strap.

MEDIUM

- Size: 20" W x 48" H
- Three handgun pouches
- One large document pouch
- Three long gun (up to 47" long) storage pouches and barrel straps
- One multipurpose pouch

LARGE

- Size: 27" W x 48" H
- Four handgun pouches
- Two document pouches
- Four long gun (up to 47" long) storage pouches and barrel straps
- Two multipurpose pouches

ACCESSORIES



LED SAFE LIGHTING KIT

- Browning ProSteel factory-style LED Safe Lighting Kit is easily installed in the door frame
- Motion sensor activates the lights when the door opens and automatically shuts off after the door closes
- Includes eight LED light tubes, mounting clips, AC adapter and motion sensor



LED LIGHT

- This battery-powered LED Light adds 75 lumens of bright light to the safe interior
- Motion sensor and manual activation modes
 - Attaches with hook and loop fasteners
 - Requires 3 AA batteries (not included)



PISTOL RACKS (4-GUN/6-GUN)

- Store handguns more efficiently
- Increases storage space on shelves
- Access to handguns is made easier by placing them in an upright position



BOLT DOWN HARDWARE KIT

- Includes four lag screws for anchoring to wood floors and four concrete bolts and concrete anchors for securing to concrete
- Wood and concrete drill bits are also included



SG® ELECTRONIC LOCK RETROFIT KIT

- The SG Electronic Lock is an advanced security system manufactured by the leader in the lock industry
 - Includes many technical security features
 - Kit includes lock and installation DVD
 - Available in silver chrome (shown), black chrome and gold
- Installation by a professional locksmith is recommended



SECURAM™ BIOMETRIC LOCK RETROFIT KIT

- The SecuRam ScanLogic Biometric Lock uses the uniqueness of an individual fingerprint as the combination in this advanced security solution
- The lock opens with either a fingerprint or a multi-digit code
 - Highly secure with quick operation
 - Simple programming instructions
 - LCD Screen
- Available in silver chrome, black chrome (shown) and gold
- Installation by a professional locksmith is recommended

HUMIDITY CONTROL



DRY-ZONE MOISTURE REDUCER

- Absorbs moisture without electricity and is rechargeable in an oven
- One 500-gram box protects up to 37 cubic feet of enclosed space, about the volume of a standard 30" wide safe
 - Can be reactivated indefinitely



ZERUST VCI PROTECTANT

- Small capsule emits an invisible vapor that forms a corrosion- and rust-resistant barrier on metal surfaces
- Vapor Corrosion Inhibitors (VCI) have been used for years to protect metal parts in industrial and commercial applications
 - One capsule protects a standard 30" wide safe (approximately 26 cu. ft.) for one year



EVERDRY™ ELECTRIC DEHUMIDIFIER

- Absorbs moisture without electricity and is rechargeable in an oven
- One 500-gram box protects up to 37 cubic feet of enclosed space, about the volume of a standard 30" wide safe
 - Can be reactivated indefinitely



FLEXIBLE EVERDRY™ HUMIDIFIER

- Flat and bendable
- Takes up less space and makes installation easy, especially in small safes
- Removes humidity from the interior of a safe and protects against rust
 - Plug is removable for installation
 - LED indicates unit is operating



VCI GUN SOCK (TWO-PIECE)

- Vapor Corrosion Inhibitor (VCI) forms a protective vapor enclosure around the entire firearm
- Adds protection to all metal items in an enclosed gun safe or cabinet
 - Drawstring closure
- Two-piece design fits most takedown rifles and shotguns

VCI GUN SOCK

- Vapor Corrosion Inhibitor (VCI) penetrates into the smallest crevices and drives out moisture where oils cannot reach
- Provides full protection by forming a vapor enclosure around the firearm from muzzle to butt
 - Drawstring closure
- Gives additional protection to all metal items in an enclosed area such as a gun safe or cabinet
 - Fits rifles and shotguns 48" to 56"


PLATINUM SERIES

MINUTES	TEMP. °F	STEEL THICKNESS	DPX DOOR	SCOPE SAVER	SHELVING	MADE IN USA
120	1750°					
110	1700°	7 GA.				
100	1680°	10 GA.	FULL	YES	AXIS	YES
90	1550°	11 GA.	HALF	NO	CMS	NO
80	1400°	12 GA.				
70						
60						




PP65T

NOT AVAILABLE
IN PP65



PP49T



PP49

NOT AVAILABLE
IN PP33

MEDALLION SERIES

MINUTES	TEMP. °F	STEEL THICKNESS	DPX DOOR	SCOPE SAVER	SHELVING	MADE IN USA
120	1750°					
110	1700°	7 GA.				
100	1680°	10 GA.	FULL	YES	AXIS	YES
90	1550°	11 GA.	HALF	NO	CMS	NO
80	1400°	12 GA.				
70						
60						



M65T



M65



M49T



M49



M33

SILVER SERIES

MINUTES	TEMP. °F	STEEL THICKNESS	DPX DOOR	SCOPE SAVER	SHELVING	MADE IN USA
120	1750°					
110	1700°	7 GA.				
100	1680°	10 GA.	FULL	YES	AXIS	YES
90	1550°	11 GA.	HALF	NO	CMS	NO
80	1400°	12 GA.				
70						
60						



SR65T

NOT AVAILABLE
IN SR65



SR49T




SR49



SR33

ARMORED U.S. AND STARS & STRIPES SERIES

MINUTES	TEMP. °F	STEEL THICKNESS	DPX DOOR	SCOPE SAVER	SHELVING	MADE IN USA
120	1750°					
110	1700°	7 GA.				
100	1680°	10 GA.	FULL	YES	AXIS	YES
90	1550°	11 GA.	HALF	NO	CMS	NO
80	1400°	12 GA.				
70						
60						



NOT AVAILABLE
IN US65T

NOT AVAILABLE
IN US65

NOT AVAILABLE
IN US49T



US49



US33

1878 SERIES

MINUTES	TEMP. °F	STEEL THICKNESS	DPX DOOR	SCOPE SAVER	SHELVING	MADE IN USA
120	1750°					
110	1700°	7 GA.				
100	1680°	10 GA.	FULL	YES	AXIS	YES
90	1550°	11 GA.	HALF	NO	CMS	NO
80	1400°	12 GA.				
70						
60						



1878-65T



1878-65



1878-49T



1878-49



1878-33




1878-13

HELL'S CANYON SERIES

MINUTES	TEMP. °F	STEEL THICKNESS	DPX DOOR	SCOPE SAVER	SHELVING	MADE IN USA
120	1750°					
110	1700°	7 GA.				
100	1680°	10 GA.	FULL	YES	AXIS	YES
90	1550°	11 GA.	HALF	NO	CMS	NO
80	1400°	12 GA.				
70						
60						

See page 18 for details



NOT AVAILABLE
IN HC65T



HC65

NOT AVAILABLE
IN HC49T



HC49



HC33

RAWHIDE SERIES

MINUTES	TEMP. °F	STEEL THICKNESS	DPX DOOR	SCOPE SAVER	SHELVING	MADE IN USA
120	1750°					
110	1700°	7 GA.				
100	1680°	10 GA.	FULL	YES	AXIS	YES
90	1550°	11 GA.	HALF	NO	CMS	NO
80	1400°	12 GA.				
70						
60						

See page 20 for details



NOT AVAILABLE
IN RW65T

NOT AVAILABLE
IN RW65



RW49T



RW49



RW33

MP BLACKOUT SERIES

MINUTES	TEMP. °F	STEEL THICKNESS	DPX DOOR	SCOPE SAVER	SHELVING	MADE IN USA
120	1750°					
110	1700°	7 GA.				
100	1680°	10 GA.	FULL	YES	AXIS	YES
90	1550°	11 GA.	HALF	NO	CMS	NO
80	1400°	12 GA.				
70						
60						

See page 22 for details



NOT AVAILABLE
IN MP65T

NOT AVAILABLE
IN MP65

NOT AVAILABLE
IN MP49T



MP49



MP33

SPORTER SERIES

MINUTES	TEMP. °F	STEEL THICKNESS	DPX DOOR	SCOPE SAVER	SHELVING	MADE IN USA
120	1750°					
110	1700°	7 GA.				
100	1680°	10 GA.	FULL	YES	AXIS	YES
90	1550°	11 GA.	HALF	NO	CMS	NO
80	1400°	12 GA.				
70						
60						

See page 24 for details



NOT AVAILABLE
IN SP65T OR SP65



SP49T



HG49



SP33



SP23



SP20



Browning • One Browning Place • Morgan, UT 84050-9326
Distributed in Canada by: Browning Canada Sports Ltd/Ltée
5583 Chemin St-François • St-Laurent, Quebec H4S 1W6

BROWNING.COM • 800-333-3288

ACG210825/21103