


BROWNINO

0

PRO SERIES



0

F 5 Δ 5



Save HUNDREDS with Second Sec

BUILD A SAFE, GET AN ESTIMATE AND LOCATE A DEALER AT BROWNING.COM

The BUILD & PRICE buttons at Browning.com make it easy to select the model, colors, scenes, locks and accessories you want. Quickly get an estimated price. Then send your choices to your local Browning dealer to get help from a safe professional and finalize your purchase.

BROWNING.COM

BUILD, THEN PLACE YOUR VIRTUAL SAFE ANYWHERE

The safe of your dreams is closer than you think.

With the Browning Safe Builder app, you can virtually build the safe you want, put it where you want and have the order sent to your nearest qualifying dealer.



Experience Browning's augmented reality app. Download now from the App Store or Google Play





FIRE PROTECTION

TWO TO THREE TIMES THE PROTECTION



Protecting your guns and other valuable possessions against the ravages of fire is a primary reason to invest in a safe. Browning ProSteel Pro Series safes feature exclusive ThermaBlock Fire Protection that goes the extra mile with two to three times the fire protection than the competition. ThermaBlock is a multi-faceted approach that eliminates the gaps in fire insulation where damaging heat from a fire can enter into the safe. ThermaBlock relies on our external door hinge design and thicker sheets of fire insulation arranged in an interlocking pattern to minimize gaps in the insulation. Thicker steel and continuous welds minimize heat-caused flex in the body to reduce gaps from forming in the event of fire. The chart below demonstrates that a Pro Series safe with ThermaBlock technology offers significantly greater fire protection for your guns and valuables than found among comparable safes with internal hinges and standard insulation arrangements.



Browning ProSteel Safe with 1-7/8" thick insulation after 100 minutes at 1680° F.



Leading U.S. built competitor safe with 1-7/8" thick insulation after 100 minutes at 1680° F.



COMPETITION'S INTERNAL HINGES

Internal hinges allow up to eight times more heat to radiate inside the safe through gaps in the fire insulation.




BROWNING PROSTEEL EXTERNAL HINGES

External hinges eliminate gaps in the fire insulation, blocking heat from entering the safe.



THERMABLOCK INTERLOCKING DESIGN

Browning ProSteel safes use interlocking fire insulation to minimize gaps. Fewer gaps means that less heat enters the interior of the safe.




* Competitor A safe: Rated 90 minutes at 1650° F Browning ProSteel safe: Rated 100 minutes at 1680° F

THE TOUGHEST SECURITY MEASURES AVAILABLE

No other gun safe company can match the security found in a Browning ProSteel Pro Series safe. Our sturdy, formed door frames are reinforced around the entire perimeter of the door opening to create a strong, rigid structure that resists flex from prying. Solid steel MAX Locking Bolts, found on most Pro Series safes, offer up to twelve times more bolt surface area and four times the strength of regular round bolts. Our tough bolt designs, combined with Pry-Stop Corner Bolts or Pry-Stop End Bolts at the door corners give you the most pry-resistant gun safes available.

TL-30, Pinnacle and Prestige safes feature the Gear Drive Locking System that offers the security of cam and linkage systems. The hyper-smooth gear system uses 300 degrees of rotation, and is three times easier to operate than other mechanisms.

The soul of a safe's security system is its lock. That's why all Pro Series safes feature a UL[®] listed Group II mechanical or Type I electronic lock. The lock is protected by two 1/4" hardened steel plates and four 1/4" hardened steel pins designed to deflect or break drill bits during a drilling attack. These are just a few of the security features that earn Pro Series safes the UL[®] Residential Security Container Rating. From pry attacks, to punch attacks, to drill attacks and beyond, no other safe provides the security you will find in a Pro Series safe.





PRY-STOP MAX END BOLTS

Pry-Stop MAX End Bolts replace the standard active locking bolts at the top and bottom of the door opposite the hinge side. Superior to other bolt designs that allow the locking bolt support bar to bend, solid steel Pry-Stop MAX End Bolts are over two and one-half times longer than a standard bolt and attach to high-strength steel angle iron that prevents the locking bolt support bar from bending in a pry attack.



PRY-STOP MAX CORNER BOLTS

Solid steel Pry-Stop MAX Corner Bolts (U.S. patent #8,276,527) provide better protection than other pry-defense designs. Innovative long locking bolts extend diagonally from a reinforced support at the vulnerable corners of the door to protect against pry attack.



FORCE DEFLECTOR™ LOCKING SYSTEM

The Force Deflector Locking System (U.S. patent #7,665,405) prevents bolt or handle forces from reaching the lock by using a rotating cam device. It prevents energy transfer to the lock better than most systems used in the safe industry.



REINFORCED DOOR FRAME

The door opening of the safe is strengthened by an integrated return flange to increase pry and attack resistance.



FORMED DOOR

The Formed Door is engineered with a rugged steel face. Inner plate and reinforcement panels provide excellent strength and attack protection compared to the competition.



180° HEAVY DUTY HINGES

Rugged exterior hinges allow the door to swing open 180° for ease of access to the safe interior. Door locking bolts maintain security if the hinges are cut off. Fire protection is better than a safe with internal hinges because fire insulation does not need to be removed to accommodate for hinges.



GEAR DRIVE™ Locking system

The finest Pro Series safe locking mechanism uses robust cam locks and a large, multiple diversion bar system to prevent bolt or handle pressure from reaching the lock. Forces go to the cams and diversion bars, not the lock, for protection unmatched by other locking systems.



HARDENED PIN LOCK PROTECTION

Protecting the locking mechanism from drill attack is a number of hardened steel pins. When a drill bit attempts to breach the pins, they are designed to roll, helping prevent the bit from grabbing the material where it can bore through and eventually reach the lock.

O

The best Pro Series safe door is made from multiple layers of steel formed together, plus a full second panel to provide superior strength, pry resistance and attack protection. The door face is 1-11/16" thick.

Second Layer of Steel :

Outer Layer of Steel is Formed to a Thickness of 1-11/16" OOR STORAG

STORAGE SOLUTIONS SO GOOD THEY'RE PATENTED

Browning ProSteel Pro Series safes are engineered to take full advantage of every inch of interior space. The *DPX Door Storage Panel* with the patented *DPX Quick Access Barrel Rack* allows you to store gear, valuables, handguns and long guns on the back of the door. The Quick Access Barrel Rack doubles the number of guns to which you have fast, easy access. The *DPX Scope Saver* uses the empty space inside the door to protect valuable optics.







DPX PISTOL POUCHES

Keep handguns easy to access and free up shelf space with the sewn-on pouches on the DPX panel.



DPX QUICK ACCESS BARREL RACK

Flexible polymer wings protect the barrel finish, secure the barrel in place and allow firearms to be easily pushed into or pulled from the rack. (U.S. patent #D643500)



DPX SCOPE SAVER Store more long guns with optics on the DPX door rack with the DPX Scope Saver. This unique recessed panel protects scopes and increases gun capacity.

CAPACITY

STORE 54% MORE GUNS IN A BROWNING PROSTEEL PRO SERIES SAFE

In this brochure you will see numbers such as 13/26+7 listed in the feature bullet copy for each safe series. The first number is the long gun capacity in the safe body with a half shelf interior (13 in the example). The second number is the long gun capacity in the safe body with an all gun interior (26 in the example). The "plus" number is the long gun capacity on the back of the door (+7 in the example).



COMPARING A COMPETITOR'S SAFE (25-28 CUBIC FT.) TO A PRO SERIES SAFE (26 CUBIC FT.):

Safe with half shelf interior: Competitor: 13 guns / Pro Series: 20 guns

54% MORE GUN STORAGE

Safe with all gun interior: Competitor: 27 guns / Pro Series: 33 guns

22% MORE GUN STORAGE

Fast access guns with half shelf interior: Competitor: 2 guns / Pro Series: 14 guns

600% MORE GUN STORAGE

Fast access guns with all gun interior: Competitor: 7 guns / Pro Series: 21 guns

200% MORE GUN STORAGE

BE CONFIDENT THAT YOU'RE COVERED.

Browning and ProSteel provide a Gun Safe Warranty that is equal to the best in the industry. The warranty covers attempted break in, break in and fire.

If a safe is involved in one of the above situations and the homeowner's insurance policy does not cover the damage to the safe, ProSteel will repair or replace the safe. (Safe contents are not covered.)


Shipping costs for a new safe, if necessary, are included. Some restrictions apply.

See Safe Owner's Manual or browning.com for complete warranty information.









EXCLUSIVE TOOLS FOR ORGANIZATION

No other safe interior is as versatile and convenient as the Axis Adjustable Shelving (U.S. patent #D662341) inside a Browning ProSteel Pro Series safe. This exclusive system offers superior adjustability, is easily changed to meet your storage needs and maximizes space for long guns, handguns, cameras, jewelry, documents, laptops and external hard drives. Accessory drawers and rugged steel shelves (not wood shelves) offer an extra level of customization that allows you to tailor the safe to meet your exact needs.



The basic shelf is made from tough steel with a protective polymer skin.

Holds up to 12 handguns. The soft surface protects handguns from damage.

PISTOL SHELF

PISTOL RACK

HIGH CAPACITY BARREL RACK



Store up to 13 long guns with this specialized design.

SCOPED PISTOL RACK

BARREL RACK



Store up to 11 long guns in slots that accommodate shotguns, carbines and rifles.

DRAWER WITH JEWELRY INSERT



Protect and organize valuables such as watches, rings and necklaces.



Lock up and protect expensive archery equipment while taking up minimal space.



This File Holder makes it easier to locate and organize important documents.



Keeps delicate items organized, protected and easy to find.



Holds 5 handguns and leaves the shelf

available for other possessions and gear.

This sturdy Drawer is perfect for all sorts of goods that need to be separated.



Compartments are sized to organize cash, passports and other documents.



With a deeper drop and heavy-gauge rods,

handguns with optics are easier to store.

Important documents are kept safe and easy to find in this handy File Box.

DEEP DRAWER



The Deep Drawer is perfect for storing a variety of items under a shelf.



Customizable pick and pluck foam isolates prized possessions inside the drawer.

To maximize storage and organization, a variety of accessories are available for Browning ProSteel Pro Series safes with Axis Adjustable Shelving. Axis accessories are compatible with safes built in 2018 or later that feature CMS Adjustable Shelving and are greater than 20 cubic feet in size.

5


Shown: TL-30 in Textured Charcoal






- Outside: 68-1/2" x 43-1/2" x 26"
- Inside: 66" x 39" x 17"
- 45 Cubic Feet
- 3,090 Lbs
- Seven 1-1/2" Angled Pins (All Active)
- 52 Guns (26/39+13)

MULTI-FACETED CONSTRUCTION



High-density aggregate concrete, steel fiber and improved adhesive resins combine to make the TL-30 significantly stronger than safes made with average, construction-grade concrete.





SG® Mechanical

SG® Top Lit Electronic

Si

4_{GHI} 5_{JKL} 6_{MINO} 7_{PRS} 8_{TUV} 9_{WXS}

THE HIGH-STRENGTH LOCKING MECHANISM AND BOLT WORK GUARD AGAINST AGGRESSIVE BREAK-IN ATTEMPTS.

A. TEMPERED GLASS PLATE is located between the door slab and the bolt work. The glass protects the locks and central bolt work. Tempered glass is designed to shatter if there is a forced entry attempt with a drill bit, torch or hammer.

B. FOUR PASSIVE RELOCKERS are controlled by the tempered glass plate. Should the glass plate break, the relockers activate and prevent the bolt work from retracting.

C. TWO PASSIVE RELOCKERS are attached to the back of the lock covers. A punch attack on the lock results in the associated relocker firing and blocking the bolt work from retracting.

D. BOLT DETENT is designed to automatically extend the bolts when the door is closed. If a safe is equipped with an electronic lock, you need not worry about relocking the safe. With the TL-30, a closed door is a locked door.

E. RACK AND PINION GEAR DRIVE for smooth, vault-like operation.

F. 1-1/2" DIAMETER CHROME BOLTS are extremely resistant to pry attacks.

G. 2-3/8" THICK DOOR is fortified with high-density barrier materials.



APPEARANCE

- Knurled 5-spoke black chrome handle
- · Simulated worn leather interior

SECURITY

- 2-1/2" door thickness
- Gear Drive[™] Locking System
- 1-1/2" locking bolts on four sides
- 4-way locking bolts Hinge side protected with 1-1/4" steel bar – Other sides protected by angled pins
- SG[®] Mechanical or SG[®] Top Lit Electronic Lock
- Glass Relocker
- Solid 1/2" 3-sided, 1" hinge side fully reinforced door frame
- TL-30 UL® rating



CONVENIENCE

- 180° hinges with heavy duty exterior
- Elevated floor
- DPX® Door Panel with Quick Access Barrel Rack, Scope Saver and Pistol Pouches
- Axis Drawer with Multipurpose Insert and File Box
- Elevated Floor



- 120 minutes at 1750° F
- Palusol® fire seal
- Two layers of 11-Gauge steel plus 2-1/2" of high-strength aggregate concrete with L-bar reinforcement




ASSEMB	LED IN	THE	USA
--------	--------	-----	-----



Р Ε N N A

Shown: PIN49T in Ivory Gloss





67 Cubic Feet

• 16 Locking Bolts

• 65 Guns (39/52+13)

• 1,960 Lbs

- Inside: 66" x 51-1/2" x 17-1/2" • Inside: 66" x 39" x 17-1/2"
 - 53 Cubic Feet
 - · 1,640 Lbs
 - 16 Locking Bolts
 - 49 Guns (26/39+10)

0 21

PIN49

- Outside: 60-1/2" x 46" x 27"
- Inside: 54" x 39" x 17-1/2"
- 44 Cubic Feet
- 1,440 Lbs
- 14 Locking Bolts
- 49 Guns (26/39+10)
- 8

PIN49T

X



HARDWARE OPTIONS



5-Spoke Black Chrome 5-Spoke Silver Chrome



5-Spoke Gold

LOCK OPTIONS



SG[®] Mechanical

SG® Top Lit Electronic

8TUV 9WN

5

APPEARANCE

- Knurled 5-spoke black chrome, silver chrome or gold handle
- Black chrome, silver chrome or gold hinge caps
- Cedar side and top panels, simulated leather trim

SECURITY

- 3/16" steel body thickness
- 1-11/16" Duo-Formed® Door
- Gear Drive[™] Locking System
- 4" x 1" MAX Locking Bolts on four sides
- 4 Pry-Stop MAX Corner Bolts
- Full 1/4" inner plate
- SG[®] Mechanical or SG[®] Top Lit Electronic Lock
- 2 hard plates, 1/4" thick lock protection
- 4-sided, fully reinforced door frame



CONVENIENCE

- 180° hinges
- · LED Lighting Package
- Electrical Outlet
- DPX[®] Door Panel with Quick Access Barrel Rack, Scope Saver, Pistol Pouches and 5 hooks
- Axis Shelving, Drawer with Multipurpose Insert, File Box, Pistol Shelf and Pistol Rack
- Elevated Floor



FIRE PROTECTION

- 120 minutes at 1750° F
- Palusol[®] fire and smoke seal
- ThermaBlock interlocking insulation: Door 2-3/8", Body 3-1/8", Ceiling 2-1/2"
- External hinges



MADE IN THE USA

P R E S T I G E Shown: PRS65T in Charcoal Metallic Gloss



PRS65T



PRS49T

JT

PRS33



- Outside: 72" x 57" x 26"
- Inside: 66" x 51-1/2" x 17"
- 63 Cubic Feet
- 1,595 Lbs
- 14 Locking Bolts
- 65 Guns (39/52+13)
- 0 +
- Outside: 60" x 57" x 26"
 Inside: 54" x 51-1/2" x 17"
 52 Cubic Feet
 - 1,385 Lbs
 - 14 Locking Bolts
- 3) 65 Guns (39/52+13)
- •
- Outside: 72" x 44-1/2" x 26"
- Inside: 66" x 39" x 17"
- 49 Cubic Feet
- 1,375 Lbs
- 14 Locking Bolts
 - 49 Guns (26/39+10)



PRS49

- Outside: 60" x 44-1/2" x 26"
- Inside: 54" x 39" x 17"
- 41 Cubic Feet
- 1,115 Lbs
- 12 Locking Bolts
- 49 Guns (26/39+10)



- Outside: 60" x 32" x 26"
- Inside: 54" x 26" x 17"
- 29 Cubic Feet
- 905 Lbs
- 12 Locking Bolts
- 33 Guns (13/26+7)





5-Spoke Black Chrome 5-Spoke Silver Chrome



5-Spoke Gold

LOCK OPTIONS



SG[®] Mechanical

SG® Top Lit Electronic

Se

9w:

APPEARANCE

- Knurled 5-spoke black chrome, silver chrome or gold handle
- Black chrome, silver chrome or gold hinge caps
- · Simulated worn leather interior

SECURITY

- 10-Gauge steel body thickness
- 1-11/16" Duo-Formed® Door
- Gear Drive[™] Locking System
- 4" x 1" MAX Locking Bolts on four sides
- · 2 Pry-Stop MAX Corner Bolts
- Full 10-Gauge inner plate
- SG[®] Mechanical or
- SG® Top Lit Electronic Lock

 2 hard plates, 1/4" thick lock protection
- 4-sided, fully reinforced door frame



CONVENIENCE

- 180° hinges
- LED Lighting Package
- Electrical Outlet
- DPX® Door Panel with Quick Access Barrel Rack, Scope Saver, Pistol Pouches and 5 hooks
- Axis Shelving, Drawer with Multipurpose Insert, File Box, Pistol Shelf and Pistol Rack
- Elevated Floor



- 110 minutes at 1700° F
- Palusol[®] fire and smoke seal
- ThermaBlock interlocking insulation: Door 2-3/8", Body 2-1/2", Ceiling 2-1/2"
- External hinges



MA	DE IN	THE US
REE		
-		
10		

Ε X Ε

Shown: DLX49T in Charcoal Metallic Gloss



DLX65T



- Outside: 72" x 56" x 25-1/2"
- Inside: 66" x 51" x 17"
- 60 Cubic Feet
- 1,295 Lbs
- 10 Locking Bolts
- 65 Guns (39/52+13)



- Outside: 72" x 43" x 25-1/2"
- Inside: 66" x 38-1/2" x 17"
- 46 Cubic Feet
- 1,070 Lbs
- 10 Locking Bolts
- 49 Guns (26/39+10)



- Outside: 60" x 43" x 25-1/2"
- Inside: 54" x 38-1/2" x 17"
- 41 Cubic Feet
- 920 Lbs
- 10 Locking Bolts
- 49 Guns (26/39+10)



- Outside: 60" x 30-1/2" x 25-1/2"
- Inside: 54" x 26" x 17"
- 27 Cubic Feet
- · 740 Lbs
- 10 Locking Bolts
- · 33 Guns (13/26+7)





5-Spoke Black Chrome 5-Spoke Silver Chrome



ne 5-Spoke Gold

LOCK OPTIONS



SG[®] Mechanical

SG® Top Lit Electronic

5

9w:

APPEARANCE

- 5-spoke black chrome, silver chrome
 or gold handle
- Black chrome, silver chrome or gold hinge caps
- Beige fabric interior

SECURITY

- 11-Gauge steel body thickness
- 1-11/16" Duo-Formed® Door
- Force Deflector[™] Locking System
- 4" x 1" MAX Locking Bolts on four sides
- 2 Pry-Stop MAX End Bolts
- Full 10-Gauge inner plate
- SG[®] Mechanical or SG[®] Top Lit Electronic Lock
- Hardened pins, Relocker lock protection
- 4-sided, fully reinforced door frame



CONVENIENCE

- 180° hinges
- LED Lighting Package
- Electrical Outlet
- Elevated floor
- DPX® Door Panel with Scope Saver, Pistol Pouches and 5 hooks
- Axis Shelving, Pistol Racks
- Elevated Floor



- 100 minutes at 1680° F
- Palusol[®] fire seal
- ThermaBlock interlocking insulation: Door 2-3/8", Body 1-7/8", Ceiling 2-1/2"
- External hinges





GRAND

Shown: GR65 in Textured Charcoal





COLOR OPTIONS

HARDWARE



3-Spoke Black Chrome

LOCK OPTIONS







7PRS 8TUV 9WX

SG® Top Lit Electronic

4GHI 5/KL 6MN

APPEARANCE

- 3-spoke black chrome handle
- Beige fabric interior

SECURITY

- 11-Gauge steel body thickness
- I" Formed Door
- Force Deflector[™] Locking System
- 3" x 3/4" MAX Locking Bolts on three sides
- 2 Pry-Stop MAX End Bolts
- Partial 10-Gauge inner plate
- SG[®] Mechanical or SG[®] Top Lit Electronic Lock
- Hardened pins, Relocker lock protection
- 4-sided, fully reinforced door frame



CONVENIENCE

- 180° hinges
- LED Lighting Package
- Electrical Outlet
- DPX[®] Door Panel with Quick Access Barrel Rack, Scope Saver, Pistol Pouches and 5 hooks
- · Axis Shelving, Pistol Rack
- Elevated Floor



- 90 minutes at 1680° F
- Palusol® fire seal
- ThermaBlock interlocking insulation: Door 1-3/4", Body 1-7/8", Ceiling 2-1/2"
- External hinges





5 Ε Ε Shown: SLT49 in Textured Charcoal



SLT49T SLT49 SLT33 0 • Outside: 72" x 42" x 24-1/2" • Outside: 60" x 42" x 24-1/2" • Inside: 66-1/2" x 38-1/2" x 17-1/2" • Inside: 54-1/2" x 38-1/2" x 17-1/2" • Inside: 54-1/2" x 26" x 17-1/2" • 43 Cubic Feet • 35 Cubic Feet • 25 Cubic Feet • 815 Lbs • 990 Lbs • 645 Lbs • 9 Locking Bolts

- 33 Guns (13/26+7)
- 16

- 49 Guns (26/39+10)
- 9 Locking Bolts
- 49 Guns (26/39+10)
- Outside: 60" x 29-1/2" x 24-1/2"
- 9 Locking Bolts

COLOR OPTIONS

HARDWARE



3-Spoke Black Chrome

LOCK OPTIONS





SecuRam[®] Electronic

APPEARANCE

- 3-spoke black chrome handle
- Beige fabric interior

SECURITY

- 11-Gauge steel body thickness
- 1-1/4" Formed Door
- Force Deflector[™] Locking System
- 3" x 3/4" MAX Locking Bolts on three sides
- · 2 Pry-Stop MAX End Bolts
- Partial 10-Gauge inner plate
- SG[®] Mechanical or SecuRam[®]
 Electronic Lock
- Hardened pins, Relocker lock protection
- 4-sided, fully reinforced door frame



CONVENIENCE

- 180° hinges
- Electrical Outlet
- DPX[®] Door Panel with Quick Access Barrel Rack, Pistol Pouches and 5 hooks
- · CMS Shelving, Axis Pistol Rack
- Elevated Floor



- 80 minutes at 1550° F
- Palusol[®] fire seal
- ThermaBlock interlocking insulation: Door 1-3/4", Body 1-1/4", Ceiling 1-1/4"
- External hinges



MADE IN	THE	US/
	-	-

HOME SAFES DELUXE





HARDWARE



5-Spoke Black Chrome

LOCK OPTIONS





SG[®] Mechanical



2ABC 3055



APPEARANCE

- 5-spoke black chrome handle
- Black chrome hinge caps
- · Simulated leather interior

SECURITY

- 3/16" steel body thickness
- 1-11/16" Duo-Formed® Door
- Force Deflector[™] Locking System
- 4" x 1" MAX Bolts on four sides
- 2 Pry-Stop MAX End Bolts
- SG[®] Mechanical, SG[®] Top Lit Electronic or SecuRam[®] Biometric Lock
- · Hardened pins, Relocker lock protection
- 4-sided, fully reinforced door frame



CONVENIENCE

- 180° hinges
- Electrical Outlet
- DPX[®] Pistol Pouches (on HSD19 only)
- CMS Shelving
- Axis Drawer with Jewelry Insert,
- Drawer and File Box

 Elevated Floor



- 90 minutes at 1680° F
- Triple fin Palusol® fire seal
- ThermaBlock interlocking insulation: Door 1-3/4", Body 1-7/8", Ceiling 1-7/8"
- External hinges



MADE IN THE US	

HOME SAFES

Shown: HS9 in Hammer Gloss Gray





APPEARANCE

- Straight drop black chrome handle
- Black chrome hinge caps
- Beige fabric interior

SECURITY

- 11-Gauge steel body thickness
- 10 and 12-Gauge steel door thickness
- 1" Formed Door
- Force Deflector[™] Locking System
- 1-1/4" Locking Lolts on four sides
- SecuRam[®] Electronic Lock
- · Hardened pins, Relocker lock protection
- 4-sided, fully reinforced door frame



CONVENIENCE

- 180° hinges
- CMS Shelving



FIRE PROTECTION

- 90 minutes at 1400° F
- Palusol[®] fire seal
- ThermaBlock interlocking insulation: Door 1-1/2", Body 1-1/2", Ceiling 2"
- External hinges



COLOR OPTIONS



Hammer Gloss Gray

Textured Sandstone

HARDWARE



Straight Drop Black Chrome

LOCK



SecuRam[®] Electronic

ACCESSORIES

Update your mechanical lock to a digital numeric keypad or biometric fingerprint scanner.



SG® ELECTRONIC LOCK RETROFIT KIT

- The SG Electronic Lock is an advanced security system manufactured by the leader in the lock industry
- Includes many technical security features
- Kit includes lock and installation DVD
- Available in silver chrome (shown), black chrome and gold
- Installation by a professional locksmith is recommended

EVERDRY™ ELECTRIC DEHUMIDIFIER

- The EverDry Electric Dehumidifier removes humidity from the interior of a safe and protects against rust
- The 18" long EverDry should be used in safes 30" wide and larger
- · Cord is removable for installation



DRY-ZONE™ MOISTURE REDUCER

- Absorbs moisture without electricity and is rechargeable in an oven
- Can be reactivated indefinitely
- One 500-gram box protects up to 37 cubic feet of enclosed space, about the volume of a standard 30" wide safe



FLEXIBLE EVERDRY[™] DEHUMIDIFIER

- Flat and bendable
- Takes up less space and makes installation easy, especially in small safes
- · Removes humidity from the interior of a safe and protects against rust
- Plug is removable for installation
- · LED indicates unit is operating

ZERUST VCI PROTECTANT



- Vapor Corrosion Inhibitors (VCI) have been used for years to protect metal parts in industrial and commercial applications
- Small capsule emits an invisible vapor that forms a corrosion - and rust-resistant barrier on metal surfaces
- One capsule protects a standard 30" wide safe
 (approximately 26 cubic feet) for one year



- The SecuRam ScanLogic Biometric Lock uses the uniqueness of an individual fingerprint as the combination for this advanced security solution
- The lock opens with either a fingerprint or a multi-digit code
- Highly secure with quick operation
- Simple programming instructions
- LCD screen
- Available in silver chrome (shown), black chrome and gold
- Installation by a professional locksmith
 is recommended

BOLT DOWN HARDWARE KIT

- Includes four lag screws for anchoring to wood floors and four concrete bolts and concrete anchors for securing to concrete
- Wood and concrete drill bits are included

PISTOL RACKS (4-GUN/6-GUN)

- Store handguns more efficiently
 - Increases storage space on shelves
 - Access to handguns is made easier by placing them in an upright position

6-Gun

4-Gun

Maximize the potential of your safe with our extensive line of safe accessories. These accessories are designed to help you store more gear and guns, better organize safe interior space, add lighting to make items easier to locate and ensure that your possessions are protected from humidity.



LED SAFE LIGHTING KIT

- Browning ProSteel factory-style, LED Safe Lighting Kit is easily installed in the door frame
- Motion sensor activates the lights when the door opens and automatically shuts off after the door closes
- · Includes eight LED light tubes, mounting clips, AC adaptor and motion sensor



LED LIGHT

Z) BROWNING

- · Battery-powered LED light adds 75 lumens of bright light to the safe interior
- Motion sensor activated
- · Attaches with hook and loop fasteners
- Requires 3 AA batteries (not included)

VCI Gun Sock (One-Piece)

VCI GUN SOCK

- Vapor Corrosion Inhibitor (VCI) penetrates into the smallest crevices and drives out moisture where oils cannot reach
- Provides full protection by forming a vapor enclosure around the firearm from muzzle to butt
- · Gives additional protection to all metal items in an enclosed area such as a gun safe or cabinet
- One-Piece fits rifles and shotguns 48" to 56"
- Two-Piece fits most takedown rifles and shotguns
- Drawstring closure



Take full advantage of the DPX Storage System with these accessories.

HANDGUN POUCH

 Store more guns without taking up shelf space with DPX Handgun Pouches (sold in sets of two)


STOCK RISER

• Store shorter firearms on the DPX Door Panel and keep them easily accessible

BARREL LOOP

 Barrel Loops allow shorter firearms to be secured on the DPX Door Panel





STOCK RISER



Browning • One Browning Place • Morgan, UT 84050-9326 Distributed in Canada by: Browning Canada Sports Ltd/Ltée 5583 Chemin St-François • St-Laurent, Quebec H4S IW6

BROWNING.COM • 800-333-3288

NEU210920/21102

SE

R

IES

SAFES

P

NG

В

ROWN

RO